

KOSTO CATALOG 2021

www.spi-s.com





SAFETY HARNESSES

GENERAL HARNESS - ONE RING, CLASS A

- Dorsal D-ring
- 5 points of adjustment (2x legs, 2x torso, 1x chest)
- Capacity: 160 kg (352 lb.)
- X in PVC that prevents tangling
- Easy doing leg straps
- CSA Z259.10 Class A and ANSI Z359.1 approved

Model #	Colour	Size	Class
CHK101	Yellow and black	Universal	А







GENERAL HARNESS - THREE RINGS, CLASS AP

- Dorsal D-ring
- Two lateral D-rings for worker positioning
- 5 points of adjustment (2x legs, 2x torso, 1x chest)
- Capacity: 160 kg (352 lb.)
- X in PVC that prevents tangling
- Easy doing leg straps
- CSA Z259.10 Class AP and ANSI Z359.1 approved

Model #	Colour	Size	Class
CHK103	Yellow and black	Universal	A, P

GENERAL HARNESS - ONE RING, CLASS A

- Dorsal D-ring
- 5 points of adjustment (2x legs, 2x torso, 1x chest)
- Capacity: 160 kg (352 lb.)
- X in PVC that prevents tangling
- Tongue buckle leg straps
- CSA Z259.10 Class A and ANSI Z359.1 approved

Model #	Colour	Size	Class
CHK110	Yellow and black	Universal	А





RETRIEVAL HARNESS, CONFINED SPACE - THREE RINGS, CLASS AE

- Dorsal D-ring
- Two shoulder D-rings for retrieval
- 5 points of adjustment (2x legs, 2x torso, 1x chest)
- Capacity: 160 kg (352 lb.)
- X in PVC that prevents tangling
- Tongue buckle leg straps
- CSA Z259.10 Class AE and ANSI Z359.1 approved

Model #	Colour	Size	Class
CHK001	Yellow and black	Universal	A, E





CONSTRUCTION HARNESS - 3 RINGS, CLASS AP

- Dorsal D-ring and 2 lateral D-rings for worker positioning
- 6 points of adjustment (2x legs, 2x torso, 1x chest, 1x waist)
- Capacity: 160 kg (352 lb.) X in PVC that prevents tangling
- Tongue buckle leg straps
- Removable shoulder padding for comfort with a waist belt and lumbar support
- CSA Z259.10 Class AP and ANSI Z359.1 approved

Model #	Colour	Size	Class
СНК014	Yellow and black	Universal	A, P







GENERAL HARNESS - FOUR RINGS, CLASS ALP

- Dorsal D-ring, 2 lateral D-rings and 1 D-ring in the front
- Tonque buckle leg straps
- 4 points of adjustment (2x legs, 2x torso)
- Capacity: 160 kg (352 lb.)
- X in PVC that prevents tangling
- Tongue buckle leg straps
- CSA Z259.10 Class ALP and ANSI Z359.1 approved

Model #	Colour	Size	Class
CHK150	Yellow and black	Universal	A, L, P

SAFETY HARNESSES XPRO

GENERAL HARNESS XPRO - ONE RING, CLASS A

- Silver high-visibility tapes
- Dorsal D-ring,
- Quick-connect buckles
- Removable legs and shoulder padding for more comfort
- 5 points of adjustment (2x legs, 2x torso, 1x chest)
- Capacity: 160 kg (352 lb.)
- X in PVC that prevents tangling
- Other sizes available
- CSA Z259.10 Class A and ANSI Z359.1 approved

Model #	Colour	Size	Class
CHK201	Lime and black	Universal	А









RETRIEVAL HARNESS XPRO - THREE RINGS, CLASS AE

- Silver high-visibility tapes
- Dorsal D-ring and 2 shoulder D-rings for retrieval
- Quick-connect buckles
- Removable legs and shoulder padding for more comfort
- 5 points of adjustment (2x legs, 2x torso, 1x chest)
- Capacity: 160 kg (352 lb.)
- X in PVC that prevents tangling
- Other sizes available
- CSA Z259.10 Class AE and ANSI Z359.1 approved

Model #	Colour	Size	Class
CHK210	Lime and black	Universal	A, E







CONSTRUCTION HARNESS XPRO - FIVE RINGS, CLASS AEP

- Silver high-visibility tapes
- Dorsal D-ring, 2 lateral D-rings for worker positioning and 2 shoulder D-rings for retrieval
- 6 points of adjustment (2x legs, 2x torso, 1x chest, 1x waist) with quick-connect buckles
- Capacity: 160 kg (352 lb.)
- X in PVC that prevents tangling
- Removable legs and shoulder padding for comfort with a waist belt and lumbar support
- Other sizes available
- CSA Z259.10 Class AEP and ANSI Z359.1 approved

Model #	Colour	Size	Class
CHK214	Lime and black	Universal	A, E, P



WELDER HARNESS XPRO IN KEVLAR - ONE RING, CLASS A

- Made of 100% Kevlar for heat resistance
- Dorsal D-ring,
- 5 points of adjustment (2x legs, 2x torso, 1x chest)
- Capacity: 160 kg (352 lb.)
- X in PVC that prevents tangling
- Easy doing leg straps
- CSA Z259.10 Class A and ANSI Z359.1 approved

Model #	Colour	Size	Class
CHK500	Black	Universal	A







SHOCK-ABSORBING LANYARDS

LANYARD WITH TUBULAR-STYLE ENERGY ABSORBER - ONE 2.2" HOOK AND ONE STANDARD HOOK

- 1" lanyard with nylon core and polyester tubular sheath
- Inner energy absorber
- Zinc-plated steel carabiner with double lock and 3/4" (19 mm) opening resists to a maximum force of 17 kN (3,600 lb.)
- 2.2" self-locking hook made of galvanized steel for scaffolding
- Impact indicator
- Peak arrest force: 408 kg (900 lb.)
- Maximum fall-free distance: 1.8m (6')
- Maximum deployment: 1.2m (4')
- Capacity: 66-140kg (145-310lbs)
- CSA Z259.11-17 and ANSI Z359.13 approved
- Class B

Model #	Colour	Length	Class
CCK618	Yellow	6′	В

LANYARD WITH TUBULAR-STYLE ENERGY ABSORBER -

- 1" lanyard with nylon core and polyester tubular sheath
- Inner energy absorber

TWO STANDARD HOOKS

- Two zinc-plated steel carabiners with double lock and 3/4" (19 mm) opening resist to a maximum force of 17 kN (3,600 lb.)
- Impact indicator
- Peak arrest force: 408 kg (900 lb.)
- Maximum fall-free distance: 1.8m (6')
- Maximum deployment: 1.2m (4')
- Capacity: 66-140kg (145-310lbs)
- CSA Z259.11-17 and ANSI Z359.13 approved
- Class B

Model #	Colour	Length	Class
CCK615	Yellow	6′	В

LANYARD WITH PACK-STYLE ENERGY ABSORBER - TWO STANDARD HOOKS

- 1" polyester lanyard
- Pack-style energy absorber
- Two zinc-plated steel carabiners with double lock and 3/4" (19 mm) opening resist to a maximum force of 17 kN (3,600 lb.)
- Peak arrest force: 408 kg (900 lb.)
- Maximum fall-free distance: 1.8m (6')
- Maximum deployment: 1.2m (4')
- Capacity: 66-140kg (145-310lbs)
- CSA Z259.11-17 and ANSI Z359.13 approved
- Class B

Model #	Colour	Length	Class
CCK620	Yellow	6′	В















TWIN-LEG LANYARD WITH PACK-STYLE ENERGY ABSORBER - TWO 2.2" HOOKS AND ONE STANDARD HOOK

- 1" polyester lanyard
- Pack-style energy absorber
- Zinc-plated steel carabiner with double lock and 3/4" (19 mm) opening resists to a maximum force of 17 kN (3,600 lb.)
- Two 2.2" self-locking hooks made of galvanized steel for scaffolding
- Peak arrest force: 408 kg (900 lb.)
- Maximum fall-free distance: 1.8m (6')
- Maximum deployment: 1.2m (4')
- Capacity: 66-140kg (145-310lbs)
- CSA Z259.11-17 and ANSI Z359.13 approved
- Class B and Y

Model #	Colour	Length	Class
CCK640	Yellow	6′	Υ







D-RING EXTENSION

- Polyester lanyard sheath with D-ring
- Zinc-plated steel carabiner with double lock and 3/4" (19 mm) opening resists to a maximum force of 17 kN (3,600 lb.)
- CSA Z259.11 and ANSI Z359.13 approved

Model #	Colour	Length
ССК008	Yellow	2'
ССК018	Yellow	18"

SELF-RETRACTING LIFELINES

TYPE SRL

SELF RETRACTING LIFELINE 6'

- 6' self-retracting lifeline
- 1" wide Nylon webbing
- Anchor point carabiner with swivel snap hook
- 2.2" self-locking hook made of aluminum for scaffolding
- Built-in shock absorber
- Unique speed-sensing brake system
- Plastic housing
- Capacity: CSA: 45kg (100lb) 140kg (310lb) et ANSI: 130-310 lbs. (59-140 kg)
- Deceleration distance: 0.6m (24")
- Maximum arresting force: 8kN (1800lb)
- Minimum fall clearance: 5.5' (1.7m)
- CSA Z259.2.2-17 Class SRL and ANSI Z359.14 Class A

Model #	Material	Length	Hook	Class
CDK001	Nylon 1"	6′	Swivel	SRL





CONNECTOR FOR 6' SELF-RETRACTING LIFELINE

- Easily combines 2 CDK001 6' lifelines
- Easy to use
- Weight: 11 oz.

Model #	Material
CAK100	Metal

SELF-RETRACTING LIFELINE 11'

- 11' self-retracting lifeline
- 1" wide Nylon webbing
- Anchor point carabiner with swivel snap hook
- Lifeline swivel snap hook
- Built-in shock absorber
- Unique speed-sensing brake system
- Aluminum housing
- Capacity: CSA: 45kg (100lb) 140kg (310lb) et ANSI: 130-310 lbs. (59-140 kg)
- Deceleration distance: 0.6m (24")
- Maximum arresting force: 8kN (1800lb)
- Minimum fall clearance: 5.5' (1.7m)
- CSA Z259.2.2-17 Class SRL and ANSI Z359.14 Class A

Model #	Material	Length	Hook	Class
CDK005	Nylon 1"	11′	Swivel	SRL

SELF-RETRACTING LIFELINE 20'

- 20' self-retracting lifeline
- 3/16" wide galvanized steel cable with tagline
- Anchor point carabiner with swivel snap hook
- Zinc-plated steel carabiners with double lock and 3/4" (19 mm) opening resist to a maximum force of 17 kN (3,600 lb.)
- Built-in shock absorber
- Unique speed-sensing brake system
- Capacity: OSHA and CSA: 45kg (100lb) -140kg (310lb) and ANSI: 130-310 lbs. (59-140 kg)
- Deceleration distance: 1.2m (47in)
- Average arresting force: 4.4 kN (900 lbs) and Maximum arresting force: 8kN (1800lb)
- Maximum arresting distance: 2.3m (74in)
- CSA Z2592.2-17 Class SRL and ANSI Z359.14 Class B

Model #	Material	Length	Hook	Class
CDKG20	Galvanized steel	20'	Swivel	SRL





SELF-RETRACTING LIFELINE 30'

- 30' self-retracting lifeline
- 3/16" wide galvanized steel cable with tagline
- Anchor point carabiner with swivel snap hook
- Zinc-plated steel carabiners with double lock and 3/4" (19 mm) opening resist to a maximum force of 17 kN (3,600 lb.)
- Built-in shock absorber
- Unique speed-sensing brake system
- Capacity: OSHA and CSA: 45kg (100lb) -140kg (310lb) and ANSI: 130-310 lbs. (59-140 kg)
- Deceleration distance: 1.2m (47in)
- Average arresting force: 4.4 kN (900 lbs) and Maximum arresting force: 8kN (1800lb)
- Maximum arresting distance: 2.3m (74in)
- CSA Z2592.2-17 Class SRL and ANSI Z359.14 Class B

Model #	Material	Length	Hook	Class
CDK030	Galvanized steel	30′	Swivel	SRL



TYPE SRL-LE

LEADING EDGE SELF-RETRACTING LIFELINE 20'

- Self-retracting device 20' long for Leading Edge
- Aluminum housing and stainless steel components
- Anchor point carabiner with swivel snap hook
- Tagline included
- Zinc-plated steel carabiners with double lock and 3/4" (19 mm) opening resist to a maximum force of 17 kN (3,600 lb.)
- Capacity: CSA: 45kg (100lb) -140kg (310lb) and ANSI: 130-310 lbs. (59-140 kg)
- Average arresting force: 4,4 kN (900 lbs) and Maximum arresting force: 8kN (1800lb)
- Can be used in 2 ways:
- Overhead use: (Non-LE): CSA Z2592.2-17 Class SRL and ANSI Z359.14 Class B
- Use for leading edge (LE) / with free fall: CSA Z2592.2-17 Class SRL-LE and ANSI Z359.14 Class SRL-LE

Model #	Material	Length	Hook	Class
CDKL20	Galvanized steel	20′	Swivel	SRL-LE









LEADING EDGE SELF-RETRACTING LIFELINE 33'

- Self-retracting device 33' long for Leading Edge
- Thermoplastic housing and stainless steel components
- Anchor point carabiner with swivel snap hook
- Tagline included
- Zinc-plated steel carabiners with double lock and 3/4" (19 mm) opening resist to a maximum force of 17 kN (3,600 lb.)
- Capacity: CSA: 45kg (100lb) -140kg (310lb) and ANSI: 130-310 lbs. (59-140 kg)
- Average arresting force: 6 kN (1350 lbs) and Maximum arresting force: 8kN (1800lb)
- Can be used in 2 ways:
- Overhead use: (Non-LE): CSA Z2592.2-17 Class SRL and ANSI Z359.14 Class B
- Use for leading edge (LE) / with free fall: CSA Z2592.2-17 Class SRL-LE and ANSI Z359.14 Class SRL-LE

Model #	Material	Length	Hook	Class
CDKL33	Galvanized steel	33′	Swivel	SRL-LE



- Self-retracting device 50' long for Leading Edge
- Aluminum housing and stainless steel components
- Anchor point carabiner with swivel snap hook
- Tagline included
- Zinc-plated steel carabiners with double lock and 3/4" (19 mm) opening resist to a maximum force of 17 kN (3,600 lb.)
- Capacity: CSA: 45kg (100lb) -140kg (310lb) and ANSI: 130-310 lbs. (59-140 kg)
- Average arresting force: 4,4 kN (900 lbs) and Maximum arresting force: 8kN (1800lb)
- Can be used in 2 ways:
- Overhead use: (Non-LE): CSA Z2592.2-17 Class SRL and ANSI Z359.14 Class B
- Use for leading edge (LE) / with free fall: CSA Z2592.2-17 Class SRL-LE and ANSI Z359.14 Class SRL-LE

Model #	Material	Length	Hook	Class
CDKL50	Galvanized steel	50′	Swivel	SRL-LE













LEADING EDGE SELF-RETRACTING LIFELINE 65'

- Self-retracting device 65' long for Leading Edge
- Aluminum housing and stainless steel components
- Anchor point carabiner with swivel snap hook
- Tagline included
- Zinc-plated steel carabiners with double lock and 3/4" (19 mm) opening resist to a maximum force of 17 kN (3,600 lb.)
- Capacity: CSA: 45kg (100lb) -140kg (310lb) and ANSI: 130-310 lbs. (59-140 kg)
- Average arresting force: 4,4 kN (900 lbs) and Maximum arresting force: 8kN (1800lb)
- Can be used in 2 ways:
- Overhead use: (Non-LE): CSA Z2592.2-17 Class SRL and ANSI Z359.14 Class B
- Use for leading edge (LE) / with free fall: CSA Z2592.2-17 Class SRL-LE and ANSI Z359.14 Class SRL-LE

Model #	Material	Length	Hook	Class
CDKL65	Galvanized steel	65′	Swivel	SRL-LE







FALL PROTECTION KITS

FALL PROTECTION ROOFING KIT

- Includes:
- 1 full-body harness with D-ring (CHK101):
 - . CSA approved Z259.10, Class A and ANSI Z359.1
- . Lightweight polyester webbing 1¾" and chemical resistant
 - . Minimum breaking point 2,722 kg (6000 lb.)
- . Maximum weight : 160 kg (352 lb.)
- 1 rope grab with 2' (0.6 m) lanyard, pack energy absorber with snap hook (CAK316)
- . CSA approved Z259.2 and ANSI Z359.1
- 1 5/8" strong copolymer lifeline 50' (15.2 m) (CCK350)
- 1 reusable roof anchor (CAK005)
 - . Galvanized steel
- . D-Ring
 - . 10 screws included
- 1 safe and waterproof plastic container 18,9L

Model #	Size
CRK005	Universal



11

12



LIFELINES

VERTICAL LIFELINE

VERTICAL LIFELINE

- Made of 5/8" polyolefin
- Locking hook at one end and sealed at the other
- UV, abrasion and mildew resistance
- Max weight (gear included): 310 lb.
- Percentage of elongation under an 8 kN (1800 lbs) load, wet and
- dry 10%.
- Tensile strength with termination NBS 6000
- CSA Z259.2.5-17 and ANSI Z359.15 approved

Model #	Colour	Material	Dimensions
CCK350	Green	Copolymer	50' x 5/8"
ССК300	Green	Copolymer	100' x 5/8"



ROBE GRAB

ROPE GRAB WITH 2' LANYARD

- 2' (0.6 m) length
- Lanyard with pack energy absorber
- Triggers automatically to keep your hands free
- Detachable in any point on the safety line
- To be used with Kosto 5/8" vertical lifelines
- Capacity: ANSI: 130-310 lbs. (59-140 kg) / CSA: 100-254 lbs. (45-115 kg)
- Maximum Deployment: 48" (1.2m)
- CSA Z259.2 and ANSI Z359.15 approved

Model #	Colour	Length
CAK316	Black	2′





ANCHORS

GENERAL

4' ANCHOR STRAP

- 4 feet (1.2 m) length
- 1 ¾" (4.5 cm) strap
- Pass-through buckles with D-ring
- Most versatile anchorage connector
- 22 kN—5,000 lb. (2,268 kg) resistant
- Maximum weight: 420 lb. (190.5 kg) (gear included)
- CSA Z259 and ANSI Z359 approved

Model #	Colour	Length	Material
CAK010	Yellow	4′	Polyester





GALVANIZED CABLE ANCHOR - SLING - COATED WITH PVC

- 1/4" galvanized steel cable coated with 5/16" PVC for extra resistance to abrasion and corrosion
- 2 eyelets for connecting a CSA Z259 and/or ANSI Z359 approved carabiner
- Capacity: combined weight between 130 to 310 lb. (person, clothing, tools, etc.)
- 22kN—5,000 lb. (2,268 kg) minimum anchor strength resistance per person
- To provide a secure anchorage, the cable must simply be wrapped around a compatible steel beam or ramp and then connected to a compatible component

Model #	Colour	Length
CEK003	Gray	3′
CEK004	Gray	4′
CEK006	Gray	6′



GALVANIZED CABLE ANCHOR - SLING - COATED WITH 2" AND 3" PASS-THRU O-RINGS

- 1/4" galvanized steel cable coated with 5/16" PVC for extra resistance to abrasion and corrosion
- 2 eyelets with 2" and 3" high strength steel pass-thru O-rings for connecting CSA Z259 and/or ANSI Z359 approved carabiner
- Capacity: combined weight between 130 to 310 lb. (person, clothing, tools, etc.)
- 22kN—5,000 lb. (2,268 kg) minimum anchor strength resistance per person

Model #	Colour	Length
CEK103	Gray	3′
CEK104	Gray	4'
CEK106	Gray	6′



ROOFING

HEAVY-DUTY METAL ROOF ANCHOR

- Anchor adapts to all roof angles
- Galvanized steel
- 10¾" long and 1/8" thick metal plate
- Reusable hinged roof anchor
- D-ring
- 22 kN 5,000 lb. (2,268 kg) resistance
- Suitable for a maximum weight of 310 lb. (140.6 kg)
- 10 screws included

Model #	Material
CAK005	Metal





ACCESSORIES

30" TOOL LANYARD

- Stretch lanyard surrounded by tubular nylon webbing
- Aluminum carabiner
- Adjustable barrel lock for tool attachment
- Capacity: 20 lb. (9.07 kg)

Model #	Colour	Length
CAK050	Black	30"



TRAUMA STRAP

- 1" nylon strap
- Designed to prevent suspension trauma (orthostatic intolerance) in the event of a fall
- Allows the worker to keep the body straight to relieve pressure on the legs and allow blood to circulate more regularly
- Easily attaches to most harnesses
- 2 pockets with zip for easy and quick deployment and adjustable strap to fit any size
- Capacity: 190 kg (420 lb.) (equipment included)

Model #	Colour	Material
CSK001	Black	Nylon



SAFETY BELTS

2" MINER'S BELT

- Miner's belt with D-ring
- Made of polyester and designed for harsh environments
- One strap for lamp or respiratory device resistant to moisture and certain chemicals
- CSA Z259.1 and ANSI Z359 approved

Model #	Colour	Material	Size
LB-426	Black	Polyester	30 to 56
CCE117	Gray	Polyester	32 to 56



2" MINER'S BELT

- Miner's belt with D-ring
- Made of polyester and designed for harsh environments
- Two straps for lamp or respiratory device resistant to moisture and certain chemicals
- CSA Z259.1 and ANSI Z359 approved

Model #	Colour	Material	Size
LB-426/2	Black	Polyester	28 to 56





BIOSEAL 2" MINER'S BELT

- Miner's belt with D-ring
- Made with Rhino polyester with Bioseal: reduced polyester swelling for extended period of use
- Durable surface that is 72% stronger against breaking and 23% thicker
- Excellent dielectric properties
- One strap for lamp or respiratory device resistant to moisture and certain chemicals
- CSA Z259.1 and ANSI Z359 approved

Model #	Colour	Material	Size
CCK117	Gray	Polyester/Bioseal	32 to 56



RECOVERY AND RESCUE

50' RESCUE AND RETRIEVAL SYSTEM FOR CONFINED SPACES

- Includes:
- 1 tripod 7' with safety chain
- 3-way self-retracting lifeline, 50' galvanized steel cable
- Stainless steel, aluminum, polyethylene and neoprene components
- Average speed rate of 4.5 ft./sec.
- Robust and practical transport bag
- 130 lb. 310 lb. capacity

Model #	Length
CTK002	60′

3-WAY RETRACTING LIFELINE 50'

- 50' self-retracting lifeline
- 3/16" wide galvanized steel cable
- Ergonomic carrying handle
- Anchor point carabiner with swivel snap hook
- Compatible with CTK002 tripod
- Capacity: 58.85 kg (130 lb.) 140 kg (310 lb.)
- Maximum arresting distance: 137 cm (54 in.)
- CSA Z259.2.2 Type R and ANSI Z359.14 Class B approved

Model #	Material	Length	Hook	Class
CDK360-R	Galvanized steel	50′	Swivel	SRL-R

65' RESCUE WINCH

- 3/16" 19.8 m (65') galvanized steel cable and ABS housing
- Steel plate and bracket (included)
- MAXIMUM material/equipment capacity is 140 kg/310 lb.
- OSHA 1926 subpart M, OSHA 1910, ANSI Z359.4-2013, ANSI A10.32-2012
- Can be used as a material hoist, rescue/confined space
- Use with tripod CTK002

Model #	Material	Length
СТК060	Galvanized steel	65′





DISPOSABLE MASKS

DISPOSABLE MASKS AGAINST PARTICLES N95

N95 DISPOSABLE ANTI-PARTICULATES MASK WITHOUT EXHALATION VALVE

- Protects against oil-free aerosol particles such as flour, metals and minerals
- Adjustable M-shaped nose clip
- Soft polyfoam and vinyl nose cushion
- Comfortable and stretchable fabric straps

Model #	Туре	Buying qty	Description
RMK020	N95	20/box	Without exhalation valve



N95 DISPOSABLE ANTI-PARTICULATES MASK WITH EXHALATION VALVE

- Protects against oil-free aerosol particles such as flour, metals and minerals
- Adjustable M-shaped nose clip
- Soft polyfoam and vinyl nose cushion
- Comfortable and stretchable fabric straps
- Exhalation valve containing a diaphragm that opens with the exhalation of the user allowing heat to exit the mask

Model #	Туре	Buying qty	Description
RMK010	N95	10/box	With exhalation valve



DISPOSABLE SURGICAL MASKS

3 PLY DISPOSABLE FACE MASK WITH EAR LOOPS

- 3 Ply disposable face mask with ear loops
- Hypoallergenic
- High filtration capacity
- Offers excellent comfort and breathability
- Adjusts to all facial contours
- Adjustable nose clip
- 50 per box
- EN 14683-2019
- Mask type: Type II
- Bacterial filter efficiency (BFE): <= 98%
- Microbial cleanliness (cfu/q): <= 30%</p>
- Differential pressure (Pa/cm²): <40%
- FDA approved

Model #	Туре	Buying qty
RMK217	Type II	50/box








ACCESSORIES

LARGE CLEANING WIPES FOR RESPIRATOR

- For cleaning respiratory masks without damaging the mask materials
- Alcohol-free
- Individually wrapped Size: 8" x 11"

Model #	Alcohol	Buying qty	Dimensions
RNK003	Without	100/box	8" x 11"







HIGH VISIBILITY CLOTHING

TRAFFIC VESTS

POLYESTER SURVEYOR'S VEST WITH 4" REFLECTIVE TAPE

- 4" reflective tape
- One horizontal stripe around the waist, two vertical stripes on the front and one X on the back
- Back opening for safety harness
- Large back pocket with zipper closure
- Eight resealable Velcro pockets
 One pocket for cell phone/radio and four other pockets
- Underarm vent panels
- 3-point brass button closure in front
- CSA Z96-15, Class 2

Model #	Size	Colour	Material
SVK050	S to 4XL	High-visibility orange	Polyester
SVK049	S to 4XL	Lime green	Polyester



POLYESTER TRAFFIC VEST WITH 4" REFLECTIVE TAPE

- 4" reflective tape
- One horizontal stripe around the waist, two vertical stripes on the front and one X on the back
- 5-point tear-away design
- Front Velcro closure
- Adjustable at sides and shoulders
- Rear opening for safety harness
- CSA Z96-15, Class 2

Model #	Size	Colour	Material
SVK052	S/M, L/XL and 2XL/3XL; 4XL/5XL	Lime green	Polyester
SVK051	S/M, L/XL and 2XL/3XL; 4XL/5XL	High-visibility orange	Polyester



POLYESTER MESH TRAFFIC VEST WITH **4" REFLECTIVE TAPE**

- 4" reflective tape
- One horizontal stripe around the waist, two vertical stripes on the front and one X on the back
- Front Velcro closure
- 5-point tear-away design
- 3-point adjustment
- CSA Z96-15, Class 2

Model #	Size	Colour	Material
SVK001	Universal	High-visibility orange	Polyester mesh





POLYESTER MESH TRAFFIC VEST WITH 2" REFLECTIVE TAPE

- 2" reflective tape
- One horizontal stripe around the waist, two vertical stripes on the front and one X on the back
- Front and shoulders Velcro closure
- Chest pocket
- 3-point adjustment
- CSA Z96-15, Class 2

Model #	Size	Colour	Material
SVK371	S/M, L/XL, 2XL/3XL, 4XL/5XL	High-visibility orange	Polyester mesh



ECONOMIC POLYESTER MESH TRAFFIC VEST WITH 2" REFLECTIVE TAPE

- 2" lime-green reflective tape
- One horizontal stripe at the front of the waist, two vertical stripes on the front and one X on the back
- Front Velcro closure
- 3-point adjustment

Model #	Size	Colour	Material
SVK003	Universal	High-visibility orange	Polyester mesh

POLYESTER MESH TRAFFIC VEST WITH 4" REFLECTIVE TAPE

- 4" reflective tape
- One horizontal stripe around the waist,
- two vertical stripes on the front and one X on the back
- Front and shoulders Velcro closure
- Chest pocket
- 3-point adjustment
- CSA Z96-15, Class 2

Model #	Size	Colour	Material
SVK379	S/M, L/XL, 2XL/3XL, 4XL/5XL	Lime green	Polyester mesh
SVK378	S/M, L/XL, 2XL/3XL, 4XL/5XL	High-visibility orange	Polyester mesh



POLYESTER TRAFFIC VEST WITH 2" REFLECTIVE TAPE

- 2" silver reflective tape
- Two horizontal stripe's around the waist, two vertical stripes on the front and one X on the back
- Front Velcro closure
- CSA Z96-15, Class 2

Model #	Size	Colour	Material
SVK032	S to 3XL	Lime green	Polyester





FIRE RESISTANT TRAFFIC VEST

FLAME RESISTANT FABRIC TRAFFIC VEST WITH 4" REFLECTIVE TAPE

- 100% polyester mesh
- 4" FR reflective tape
- One horizontal stripe around the waist, two vertical stripes on the front and one X on the back
- Five-point Velcro tear away design; at the front, at the shoulders and on the sides for an optimal fit
- Chest pocket
- 2 radio straps
- Back opening for safety harness
- CSA Z96-15, Class 2
- EN ISO 14116 index 1

Model #	Size	Colour	Material
SVKF10	S to 5XL	High-visibility orange	Polyester



HIGH VISIBILITY T-SHIRTS AND SWEATERS

POLYESTER MESH SHORT-SLEEVED "V NECK" T-SHIRT WITH 4" REFLECTIVE TAPE

- 100% polyester mesh, fine grade material, light, comfortable and highly breathable
- 4" reflective tape
- One horizontal stripe around the waist, two vertical stripes on the front and one X on the back
- Front pocket with Velcro closure and pen compartment
- 2 radio hooks at the shoulders
- V neck
- CSA Z96-15, Class 2

Model #	Size	Colour	Material	Class
VHK010	S to 3XL	High-visibility orange	Polyester mesh	2



MICRO MESH POLYESTER SHORT-SLEEVED T-SHIRT WITH 4" REFLECTIVE TAPE

- 100% polyester mesh, fine grade material, light, comfortable and highly breathable
- 4" reflective tape
- One horizontal stripe around the waist, two vertical stripes on the front and one X on the back
- Left chest pocket with Velcro closure and pen division
- Two radio hooks at the shoulders
- Crew neck
- CSA Z96-15, Class 2

Model #	Size	Colour	Material	Class
VHK015	S to 3XL	High-visibility orange	Polyester mesh	2





MICRO MESH POLYESTER LONG-SLEEVED T-SHIRT WITH 4" REFLECTIVE TAPE

- 100% polyester mesh, fine grade material, light, comfortable and highly breathable
- 4" reflective tape
- One horizontal stripe around the waist, two vertical stripes on the front, one X on the back and on the sleeves
- Left chest pocket with Velcro closure and pen division
- Two radio hooks at the shoulders
- Crew neck
- CSA Z96-15, Class 2

Model #	Size	Colour	Material	Class
VHK120	XS to 5XL	High-visibility orange	Polyester mesh	2



MICRO MESH POLYESTER LONG-SLEEVED T-SHIRT WITH 4" PERFORATED REFLECTIVE TAPE

- 100% polyester micro mesh, fine grade material, light, comfortable and highly breathable
- 4"perforated industrial reflective tape
- One horizontal stripe around the waist, two vertical stripes on the front, one X on the back and on the sleeves
- Left chest pocket with Velcro closure
- Two radio hooks at the shoulders
- Crew neck
- Rib cuffs
- CSA Z96-15, Class 2

Model #	Size	Colour	Material	Class
VHK126	XS to 5XL	Navy	Polyester mesh	1
VHK124	XS to 5XL	Lime green	Polyester mesh	2
VHK125	XS to 5XL	High-visibility orange	Polyester mesh	2



TRAFFIC SUSPENDERS

11/2" REFLECTIVE TRAFFIC SASH BELT

- Vertical stripes on the front and X on the back
- Belt with front buckle closure
- 4 point adjustment
- 1½" diameter
- CSA Z96-15 class 1

Model #	Size	Colour
SBE001	Universal	Lime green/reflective silver





4" REFLECTIVE TRAFFIC SASH BELT

- Traffic sash belt 100% polyester
- 4" reflective tape
- Two vertical stripes on the front and one X on the back
- One horizontal stripe around the waist
- Openings on the side with Velcro for adjustment
- CSA Z96-15, Class 1

Model #	Size	Colour
SBK004	Universal	Lime green / reflective silver
SBK004T	Universal - Tall	Lime green / reflective silver



TRAFFIC ARMBANDS

REFLECTIVE ELASTIC ARMBAND

- Velcro closure
- 1½" diameter

Model #	Size	Colour
SBR001	M and L	Lime green/ reflective silver



HIGH VISIBILITY SWEATERS

FLEECE HIGH-VISIBILITY JACKET WITH **DETACHABLE HOOD**

- Comfortable fleece jacket
- Breathable fabric
- 100% polyester 280g/m2
- Easy maintenance
- 4" reflective tape
- One horizontal stripe around the waist, two vertical stripes on the front and one X on the back
- YKK zipper front closure
- Detachable drawstring hood
- 2 large pockets at the waist CSA Z96-15 standards

Model #	Size	Colour	Material	Class
VGK304	S to 4XL	Lime green	Polyester	2
VGK300	S to 4XL	Black	Polyester	1





POLAR HIGH-VISIBILITY JACKET WITH DETACHABLE HOOD

- 100% polyester polar 260 g/m²
- 4" reflective tape
- One horizontal stripe around the waist, two vertical stripes on the front and one X on the back
- Zipper front closure
- Detachable hood with Velcro for increased safety
- 2 large pockets at the waist
- 2 chest pockets, one with zipper closure and one with Velcro for radio
- 2 radio hooks at the shoulders
- CSA Z96-15 standards, Class 2, Level 2
- Can be integrated with VMK455 rainjacket (sold separately) to make 3 in 1 coat

Model #	Size	Colour	Material	Class
VGK362	XS to 5XL	Orange	Polar polyester	2



SOFTSHELL JACKET WITH 4" REFLECTIVE TAPE

- High-quality softshell jacket
- Waterproof and high-resistance, heat-sealed seams
- 100% polyester fabric with flannel lining and waterproof to 3000mm
- 4" reflective tape
- One horizontal stripe around the waist, two vertical stripes on the front and one X on the back
- Two side pockets and identification pocket
- Elastic drawstring at waist
- Adjustable elastic with Velcro closure at cuffs
- CSA Z96-15 standards

Model #	Size	Colour	Material	Class
VMK227	S to 5XL	Orange	Polyester and Spandex	2





HIGH VISIBILITY FR SWEATERS

FR AND ARC FLASH HIGH-VISIBILITY JACKET WITH DETACHABLE HOOD

- Made of 60% Modacrylic, 39% FR Cotton, 1% Antistatic, 9.7 oz/ yd² - 330 g/m²
- 4" FR reflective tape
- One horizontal stripe around the waist, two vertical stripes on the front and one X on the back
- Zipper front closure
- Detachable hood
- 2 large pockets at the waist
- 2 radio hooks at the shoulders
- CSA Z96-15, Class 2, Level FR
- Certified for arc flash and flame resistant clothing NFPA 70E / ASTM F1959 (ASTM F1506)
- Protection against arcflash (Cat. 2) ATPV 15 cal/cm2
- Can be integrated with VMKF60 rainjacket (sold separately) to make 3 in 1 coat

Model #	Size	Colour	Material	Class	ATPV (cal/cm²)
VGKF65	XS to 4XL	Orange	Modacrylic and cotton	2	15



HIGH VISIBILITY RAINSUITS, JACKETS AND PANTS

3-PIECE RAINSUIT WITH 2" REFLECTIVE TAPE

- Made of 100% polyester 420D with PVC coating
- Sealed seams
- 2" reflective tape
- One horizontal stripe around the waist, two vertical stripes on the front and one X on the back
- Horizontal tape on legs
- Resistant to abrasions
- Velcro closure at wrist and pants cuffs
- Detachable and hideaway hood in collar with reflective tape
- Bib overall pants with adjustable suspenders
- Front and back vents
- Zipper front closure
- CSAZ96-15 Class 1, Level 2

Model #	Size	Colour	Material	Description	Class
VHK416	S to 3XL	Yellow	Polyester and PVC	Jacket, pants, hood	1





3-PIECE 300D POLYESTER RAINSUIT WITH 4" REFLECTIVE TAPE

- Made of polyester Oxford 300D with polyurethane coating, robust and resistant to tear and abrasion
- High-visibility orange
- 4" reflective tape
- One horizontal stripe around the waist, two vertical stripes on the front and one X on the back
- Horizontal tape on legs
- Laminated tape sealed seams for waterproof protection
- Bib overall pants with adjustable suspenders
- Zipper in front and on legs
- Velcro closures on pants and sleeves
- 2 front pockets with Velcro closure
- Hood
- CSAZ96-15 Class 3, Level 2

Model #	Size	Colour	Description	Class
VHK300	S to 4XL	Orange	Jacket, pants, hood	3



450D RIPSTOP RAINSUIT WITH PU COATING AND 4" REFLECTIVE TAPE

- Jacket and pants robust and resistant to tear and abrasion
- Made of polyester 450D ripstop with PU coating
- Inner zipper to accomodate 3 in 1 VGK362 jacket (sold separately)
- Waterproof, high-strength, heat-sealed seams
- Front, back and underarm vents
- Front two-way zipper closure with flap
- 4" reflective tape
- One horizontal stripe around the waist, two vertical stripes on the front and one X on the back
- Horizontal tape on legs
- Quick access pockets
- Pants with elastic and adjustable suspenders
- Detachable hood available: VTK450
- CSA Z96-15 Class 2, becomes Class 3, Level 2 when worn together

Model #	Size	Colour	Description	Class
VMK455	XS to 4XL	Orange	Jacket	2
VPK455	XS to 4XL	Orange	Pants	2
VTK450	One size	Orange		





FIRE RESISTANT RAINSUITS

FR RAINSUIT WITH 2" REFLECTIVE TAPE

- Jacket and pants made of 100% polyurethane and polyester, fire-retardant
- High-visibility orange
- Waterproof, high-strength, heat-sealed seams
- 2" reflective tape
- One horizontal stripe around the waist, two vertical stripes on the front and one X on the back
- Arm vents
- Zipper closure with flap
- Quick access pockets with snaps
- Pants with elastic and adjustable suspenders
- Horizontal tape on legs
- Detachable and hideaway hood in collar with reflective tape
- CSA Z96-15 Class 2, Level 2, becomes Class 3, Level 2 when worn together
- The performance of the fabric is tested according to ASTM standard D6413 / D6413M using the vertical flame method for the resistance of textiles.

Model #	Size	Colour	Description	Class
VMK502	XS to 4XL	High-visibility orange	Jacket	2
VPK502	XS to 4XL	High-visibility orange	Pants	2





FR AND ARC FLASH RAINSUIT WITH 4" REFLECTIVE TAPE

- Jacket and pants made of 40mm polyurethane laminated fire retardant cotton 11.5 oz / yd² - 390 g / m² orange high visibility
- 4" flame retardant "FR K-Brite" reflective tapes
- Inner zipper to accomodate 3 in 1 VGKF65 jacket (sold separately)
- One horizontal stripe around the waist, two vertical stripes on the front and one X on the back
- Zipper closure with flap
- Quick access pockets with snaps
- Pants with elastic and adjustable suspenders
- Horizontal tape on legs
- Detachable and hideaway hood in collar with reflective tape
- Certified for arc flash and flame resistant clothing NFPA 70E / ASTM F1959 (ASTM F1891)
- Protection against arcflash (Cat. 2) ATPV 24 cal/cm2
- CSA Z96-15 Class 2, Level 2, becomes Class 3, Level 2 when worn together

		cm²)
VMKF60 XS to 4XL Orange	Jacket	24
VPKF60 XS to 4XL Orange	Pants	24







HIGH VISIBILITY LINED SUITS, JACKETS AND PANTS

BOMBER JACKET WITH 4" REFLECTIVE TAPE

- Bomber jacket made of 100% polyester 300D with PU coating
- 100% polyester 4x4 diamond-quilted lining
- 4" reflective tape
- One horizontal stripe around the waist, two vertical stripes on the front and one X on the back
- Detachable hood with 4" reflective tape
- ID card pocket
- Elastic at waist and sleeves to keep warmth
- Inside pocket with Velcro
- Zipper closure with inside flap
- Quick access pockets
- CSA Z96-15 Class 2, Level 2

Model #	Size	Colour	Description	Class	
VMK760	XS to 4XL	Orange	Jacket	2	





XTREM -40°C DUCK COTTON WINTER SUIT WITH 4" REFLECTIVE TAPE

- Xtrem winter jacket -40°C made of 100% duck cotton canvas and polyester
- High-resistance, heat-sealed seams
- Water repellent fabric treatment
- Detachable hood with reflective tape
- YKK two-way zipper closure with flap
- Outside and inside pockets
- Inside adjustable waist belt
- Interior elastic waist band with snaps to keep warmth
- 4" reflective tape
- One horizontal stripe around the waist, two vertical stripes on the front and one X on the back
- Pants with elastic and adjustable suspenders
- Horizontal tape on legs
- CSA Z96-15

Model #	Size	Colour	Description	Class
VMK701	XS to 5XL	Black	Jacket	1
VPK701	XS to 5XL	Black	Pants	1
VMK700	XS to 5XL	Orange	Jacket	2
VPK700	XS to 5XL	Orange	Pants	2



27



XTREM -40°C WINTER SUIT WITH 4" REFLECTIVE TAPE

- Xtrem winter jacket -40°C made of 100% polyester 600D, PU coating and fleece lining with thermal insulation
- High-resistance, heat-sealed seams
- Waterproof fabric treatment
- Detachable hood
- YKK two-way zipper closure with flap
- Outside and inside pockets
- Interior elastic waist band with snaps to keep warmth
- 4" reflective tape
- One horizontal stripe around the waist, two vertical stripes on the front and one X on the back
- Pants with elastic and adjustable suspenders
- Horizontal tape on legs
- CSA Z96-15

Model #	Size	Colour	Description	Class
VMK656	XS to 5XL	Black	Jacket	1
VPK656	XS to 5XL	Black	Pants	1
VMK655	XS to 5XL	Orange	Jacket	2
VPK655	XS to 5XL	Orange	Pants	2



5-IN-1 SUIT WITH 4" REFLECTIVE TAPE

- 5-in-1 suit made of 300D Oxford polyester with polyurethane coating
- Waterproof outershell 3000mm with high-resistance, heatsealed seams
- Reversible (black) and lined high-visibility inner jacket with detachable sleeves
- Detachable and hideaway hood in collar
- YKK two-way nylon zipper closure with flap
- Outside and inside pockets
- 4" industrial reflective tape
- One horizontal stripe around the waist, two vertical stripes on the front and one X on the back
- Pants with elastic and adjustable suspenders
- Horizontal tape on legs
- CSA Z96-15

Model #	Size	Colour	Description	Class
VMK975	XS to 5XL	Black	Jacket	1
VPK975	XS to 5XL	Black	Pants	1
VMK775	S to 4XL	Orange	Jacket	2
VPK775	S to 4XL	Orange	Pants	2





FIRE RESISTANT LINED SUITS

FLAME RETARDANT AND ARC FLASH -20° WINTER SUIT WITH 4" REFLECTIVE TAPE

- Made of canvas 99% flame retardant cotton 280 g/m² and 1% antistatic laminated with a waterproof and breathable membrane (5000mm / 3000mvp)
- 100% flame retardant 170 g/m² cotton lining with 85% modacrylic and 15% polyester 200 g/m² insulation
- 4" flame retardant "FR K-Brite" reflective tapes
- Zipper with flap and one inside for embroidery
- Pocket for gas detector
- Detachable hood with reflective tape
- Zipper at legs
- 4 pockets: on the back, on the bib and on the sides
- Adjustable and comfortable elastic suspenders
- High strength waterproof heat sealed seams
- Certified for arc flash and flame resistant clothing
- NFPA 70E / ASTM F1506 (ASTM F1959) Cat. 4, ATPV 40 cal/cm2
- CAN / CGSB 155 20-2017 flash fire protection and passes ASTM F1930 manikin test
- CSA Z96-15 Class 2 level FR

Model #	Size	Colour	Description	Class	ATPV (cal/cm²)
VMKF70	XS to 5XL	Orange	Jacket	2	40
VPKF70	XS to 5XL	Orange	Pants	2	40







HIGH VISIBILITY COVERALLS

POLYESTER AND COTTON COVERALL WITH 4" REFLECTIVE TAPE AND LEG ZIPPERS

- Made of 65% polyester and 35% cotton offering a greater resistance to tears as well as improved comfort
- 4" industrial reflective tape
- One horizontal stripe around the waist, two vertical stripes on the front and one X on the back
- Horizontal tape on legs and arms
- YKK zipper closure on front and legs (24")
- Overlock seams
- Telescopic back for added comfort
- Side openings
- Bar-tacked at all stress points
- Hammer loop on left leg
- Easy to clean
- CSA Z96-15

Model #	Size	Colour	Class
VCK153	36 to 60	Orange	3
VCK153T	40 to 62 - TALL	Orange	3
VCK149	36 to 62	Navy	1
VCK149T	36 to 62 - TALL	Navy	1





POLYESTER AND COTTON COVERALL WITH 4" REFLECTIVE TAPE

- Made of 65% polyester and 35% cotton offering a greater resistance to tears as well as improved comfort
- 4" industrial reflective tape
- One horizontal stripe around the waist, two vertical stripes on the front and one X on the back
- Horizontal tape on legs and arms
- YKK zipper closure on front
- Overlock seams
- Telescopic back for added comfort
- Side openings
- Bar-tacked at all stress points
- Hammer loop on left leg
- Easy to clean
- CSÁ Z96-15

Model #	Size	Colour	Class
VCK152	36 to 62	Orange	3
VCK152T	36 to 62 - TALL	Orange	3
VCK146	36 to 62	Navy	1
VCK146T	38 to 62 - TALL	Navy	1



POLYESTER AND COTTON COVERALL WITH 4" REFLECTIVE TAPE

- Made of Ripstop 65% polyester and 35% cotton (210 gms)
- Back leg, side and underarm 100% polyester mesh inserts for extra breathability
- Light and comfortable fit, ideal for summer
- 4"perforated industrial reflective tapes
- One horizontal stripe around the waist, two vertical stripes on the front and one X on the back
- Horizontal bands on legs and arms
- Zipper on the front
- Telescopic back for more comfort
- Access opening on each side
- Evacuates moisture and dries quickly
- Multiple utility and tool pockets
- Easy to maintain
- CSÁ Z96-15

Model #	Size	Colour	Class	
VCK162	36 to 62	Navy	1	
VCK162T	40 to 62 - TALL	Navy	1	
VCK160	36 to 62	Orange	3	Zipper on legs
VCK160T	40 to 62 - TALL	Orange	3	Zipper on legs





FIRE RESISTANT COVERALLS

FR AND ARC FLASH COVERALL WITH 4" REFLECTIVE TAPE

- Made of 100% cotton, flame-retardant and arc flash fabric (8 oz. / 270 GMS)
- 4" FR reflective tape
- Gas detector pocket
- One horizontal stripe around the waist, two vertical stripes on the front and one X on the back
- Horizontal tape on legs and arms
- YKK zipper closure on front with flap
- Legs and neck Velcro closures
- Telescopic back for added comfort and side openings
- High resistance aramid FR thread and bar-tacked at all stress points
- Tool pocket on the right leg Arc flash protection ASTM F1959 (Cat.2), ATPV 9.2 cal/cm2
- Meets the minimum requirements of performance specifications
- NFPA 70E; ASTM F1506
- The fabric of this garment meets ASTM 1930
- Compliant to CSA Z96-15 standards Class 3

Model #	Size	Colour	Class	ATPV (cal/cm²)
VCKF01	36 to 62	Orange	3	9.2
VCKF01T	36 to 62 - TALL	Orange	3	9.2



HIGH VISIBILITY LINED COVERALLS

LINED POLYESTER AND COTTON COVERALL WITH 4" REFLECTIVE TAPE

- Made of 65% polyester and 35% cotton offering a greater resistance to tears as well as improved comfort
- 100% quilted polyester lining
- 4" industrial reflective tape
- One horizontal stripe around the waist, two vertical stripes on the front and one X on the back
- Horizontal tape on legs and arms
- YKK zipper closure on front and legs (full-length leg from hip to hem)
- Overlock seams
- Telescopic back for greater comfort
- Side openings
- Bar-tacked at all stress points with high-strength thread
- Wrinkle-resistant and preshrunk
- Easy to clean
- CSA Z96-15

Model #	Size	Colour	Class
VCK105	S to 3XL	Orange	3
VCK105T	S to 3XL - TALL	Orange	3
VCK100	S to 3XL	Navy	1
VCK100T	M to 3XL - TALL	Navy	1



31



LINED -20°C COTTON COVERALL WITH 4" REFLECTIVE TAPE



- 200 g 3M Thinsulate insulation
- 100% guilted polyester lining
- 4" industrial reflective tape
- One horizontal stripe around the waist, two vertical stripes on the front and one X on the back
- Horizontal tape on legs and arms
- YKK zipper closure on front and legs
- Telescopic back
- Elastic at back waist
- Hammer loop on left leg
- Knit collar and cuffs
- Bar-tacked at all stress points with high-strength thread
- Wrinkle-resistant and preshrunk
- CSA Z96-15

Model #	Size	Colour	Class
VCK115	S to 4XL	Orange	3
VCK115T	S to 3XL - TALL	Orange	3





LINED -50°C COVERALL WITH 4" REFLECTIVE TAPE

- Made of 100% Polyester 600D Endura water resistant 3000mm, 220 gsm
- 3M J200 water resistant Thinsulate insulation
- 100% quilted Taffeta 2x2 lining
- Aluminized lining between outshell and insulation
- 4" industrial reflective tape
- One horizontal stripe around the waist, two vertical stripes on the front and one X on the back
- Horizontal bands on legs and arms
- Detachable hood with band
- Foam padding between shell and lining at knees and buttocks
- YKK zippers on the front and legs
- Telescopic back
- Elastic back at the waist
- Knit collar and cuffs
- Seams and stress points reinforced with high resistance thread
- Wrinkle-resistant and pre-shrunk
- CSA Z96-15 Class 3
- Cold test performed -50°C according to ISO 11079 and ISO 11092 standards

Model #	Size	Colour	Class
VCKH40	S to 4XL	Orange	3
VCKH40T	M to 3XL - TALL	Orange	3









FIRE RESISTANT COVERALLS

LINED -20°C FLAME RETARDANT AND ARC FLASH COVERALL WITH 4" REFLECTIVE TAPE

- Made of canva 99% flame retardant cotton 280 g/m² and 1% antistatic laminated with a waterproof and breathable membrane (5000mm / 3000mvp)
- 100% flame retardant 170 g/m² cotton lining with 85% modacrylic and 15% polyester 200 g/m² insulation
- "FR K-Brite" fire retardant 4"reflective tapes
- CSA Z96-15 Class 3 level FR
- One horizontal stripe around the waist, two vertical stripes on the front and one X on the back
- Zipper in front and on legs
- Zipper with flap and one inside for embroidery
- High strength waterproof heat sealed seams
- Certified for arc flash and flame resistant clothing
- NFPA 70E / ASTM F1506 (ASTM F1959) Cat. 4, ATPV 40 cal/cm2
- CAN / CGSB 155 20-2017 flash protection and passes ASTM F1930 manikin test

Model #	Size	Colour	Class	ATPV (cal/cm²)
VCKF70	S to 4XL	Orange	3	40
VCKF70T	S to 3XL - TALL	Orange	3	40









HIGH VISIBILITY WORK SHIRTS AND PANTS

WORK SHIRT AND CARGO PANTS 4" REFLECTIVE TAPE

- Made of 65% polyester and 35% cotton
- Comfortable working pants with elastic waistband that stretches up to two inches for a better fit
- 4" reflective tape
- One horizontal stripe around the waist, two vertical stripes on the front and one X on the back
- Horizontal tape on legs and arms
- High-resistance thread
- Bar-tacked at all stress points
- Long sleeves shirt with two front pockets
- Two cargo pockets with folds and button closure on legs
- Button with zip closure at waistband with seven large loops
- CSA Z96-15 Class 2, becomes Class 3, Level 2 when worn together

Model #	Size	Colour	Material	Description	Length
VHK042	S to 3XL	Orange	Polyester and cotton	Long sleeves and buttons	
VPK840	28 to 46	Orange	Polyester and cotton	Pants	31"
VPK841	28 to 46	Orange	Polyester and cotton	Pants	33"





RIPSTOP WORK SHIRT AND CARGO PANTS WITH 4" PERFORATED REFLECTIVE TAPE

- Made of 65% polyester and 35% ripstop cotton (170 gms)
- Lightweight and comfortable fit, ideal for summer
- 4"perforated industrial reflective tapes
- One horizontal stripe around the waist, two vertical stripes on the front and one X on the back
- Elastic waistband that can stretch up to 2 inches for better comfort
- Polyester mesh insert on the back, under the armpits and on the back of the leg for better ventilation
- Button at the top of the sleeve to roll it up
- Dries guickly
- Two front pockets with flap and pen opening
- Button closure at waistband
- Multiple utility and tool pockets
- High-resistance thread
- Reinforced stress points
- CSA Z96-15 Class 2, Level 2, becomes Class 3, Level 2 when worn together

Model #	Size	Colour	Material	Description	Length
VHK060	XS to 5XL	Orange	Ripstop Polyester and cotton	Long sleeves and snaps	
VPK861	28 to 46	Orange	Ripstop Polyester and cotton	Pants	31"
VPK863	28 to 46	Orange	Ripstop Polyester and cotton	Pants	33"



LINED HIGH VISIBILITY WORK SHIRTS AND PANTS

LINED WORK SHIRT AND CARGO PANTS WITH 4" REFLECTIVE TAPE

- Made of 65% polyester and 35% cotton (215 g/m2 or 6.3 oz/y2) with Teflon
- 60g Thinsulate insulation comfortable and thin
- 100% polyester quilted lining
- Elastic waistband that can stretch up to 2 inches for better comfort
- 4 "reflective tapes
- One horizontal stripe around the waist, two vertical stripes on the front and one X on the back
- Horizontal bands on legs and arms
- Warmth and lightness from one season to the next
- Perfect for staying warm all day long
- Two cargo pockets with flap and button closure at the legs
- CSA Z96-15 Class 2, Level 2, becomes Class 3, Level 2 when worn together

Model #	Size	Colour	Material	Description	Length
VHKH80	S to 4XL	Orange	Polyester and cotton	Long sleeves and snaps	
VPKH81	28 to 46	Orange	Polyester and cotton	Pants	31"
VPKH83	28 to 46	Orange	Polyester and cotton	Pants	33"







ALUMINUM PROTECTION CLOTHING

PROTECTIVE WORK SHIRT AND PANTS FOR ALUMINUM SMELTERS

- Made of flame retardant viscose, polyamide, wool and aramid
- Antistatic EN1149-5
- Certifed Arc flash protection ASTM F1506, Cat2, ATPV: 12 cal/ cm2
- The fabric of this garment meets the performance criteria of the standards:
- EN11612 (A1 A2 B1 C1 D3 E3 F1) for the resistance to heat, flame and molten splash
- EN ISO 11611 (Class 2 A1-A2) for protection against welding projections
- Heavy Nomex resistant thread and reinforced seams at stress points
- Shirt with:
- FR 2" reflective tape Tested: EN ISO 20471 / EN ISO 533
- Double flap on the front with melamine and Velcro snap closure
- Adjustable cuffs
- Collar with velcro closure
- Vented back
- Two front pockets with flap
- Pants with:
- Two side pockets
- Back pocket with flap
- YKK zipper with double flap
- ½ elastic size in the back

Model #	Size	Colour	Description	Length	ATPV (cal/cm²)
VHKA01	S to 4XL	Orange and navy	Long sleeves and snaps		12
VHKA01T	L to 4XL - TALL	Orange and navy	Long sleeves and snaps		12
VPKA31	28 to 46	Navy	Pants	31"	12
VPKA33	28 to 46	Navy	Pants	33"	12
VPKA36	28 to 46	Navy	Pants	36"	12





GENERAL USE CLOTHING

WORK SHIRTS AND PANTS

WORK SHIRT

- Made of 65% polyester and 35% cotton (170gms)
- Stain resistant protection
- Snap closure
- Comfortable fit
- 2 front pockets with flap and pen opening
- High resistance thread
- Bar-tacked at all stress points

Model #	Size	Colour	Material	Closure	Description
VHK321	XS to 4XL	Navy	Polyester and cotton	Snaps	Long sleeves







POLYESTER AND COTTON WORK PANTS

- Made of 65% polyester and 35% cotton (260gsm or 7.7oz/y2)
- Stain resistant protection
- Elastic waistband that's stretch up to two inches for a better comfort
- Regular cut
- Shank with zip closure at waistband
- Two pockets at the front and at the back
- Industrial wash 4" Reflective Tape

Model #	Size	Colour	Material	Length	Description
VPK141	26 to 48	Navy	Polyester and cotton	31"	With reflective tape
VPK143	26 to 48	Navy	Polyester and cotton	33"	With reflective tape
VPK101	26 to 48	Navy	Polyester and cotton	31"	No reflective tape
VPK103	26 to 48	Navy	Polyester and cotton	33"	No reflective tape



POLYESTER AND COTTON CARGO WORK PANTS

- Made of 65% polyester and 35% cotton (260gsm or 7.7oz/y2)
- Stain resistant protection
- Elastic waistband that's stretch up to two inches for a better comfort
- Knee pocket for knee pad
- Next-to-skin fit
- Shank with zip closure at waistband
- Two pockets at the front and at the back
- Cargo style pockets
- Industrial wash 4" Reflective Tape

Model #	Size	Colour	Material	Length	Description
VPK341	26 to 48	Navy	Polyester and cotton	31"	With reflective tape
VPK343	26 to 48	Navy	Polyester and cotton	33"	With reflective tape
VPK301	26 to 48	Navy	Polyester and cotton	31"	No reflective tape
VPK303	26 to 48	Navy	Polyester and cotton	33"	No reflective tape



POLYESTER AND COTTON RIPSTOP WORK SHIRT AND PANTS

- 65% polyester and 35% cotton ripstop (170 gms)
- Light and comfortable fit, ideal for summer
- Elastic waistband that stretches up to two inches for a better comfort
- Back leg, back and underarm polyester mesh insert for extra breathability
- Button at the top of the sleeve to roll it
- Dries guickly
- Two front pockets with flap and opening for pen
- Button with zip closure at waistband
- Multiple tool and utility pockets
- High-resistance thread
- Bar-tacked at all stress points

Model #	Size	Colour	Material	Description	Length
VHK051	S to 3XL	Navy	Ripstop polyester and cotton	Long sleeves and snaps	
VPK850	28 to 46	Navy	Ripstop polyester and cotton	Pants	31"
VPK851	28 to 48	Navy	Ripstop polyester and cotton	Pants	33"





UNDERWEAR

FLAME-RESISTANT UNDERWEAR

- Made of 70% modacrylic and 30% cotton fire retardant
- Comfortable
- Crew neck
- Long sleeve
- Long boxer
- Nomex elastic waistband
- The performance of the fabric is tested according to ASTM standard D6413 / D6413M using the vertical flame method for the resistance of textiles

Model #	Size	Colour	Material	Description
VGKF10	S to 3XL	Black	Modacrylic and cotton	A-Shirt
VPKF10	S to 3XL	Black	Modacrylic and cotton	Long boxer





GENERAL USE COVERALLS

DELUXE POLYESTER AND COTTON COVERALL

- Made of preshrunk 65% polyester and 35% cotton fabric
- Two-way YKK zipper front closure and 24" on the side of each leg
- Two front pockets with flap and pencil division
- Two large back pockets
- Side openings
- Long life vat dye
- Elastic waistband
- Telescopic back for greater comfort
- Bar-tacked at all stress points
- High-strength thread

Model #	Size	Colour	Material
VCK026	38 to 56	Navy	Polyester and cotton

COTTON COVERALL

- Made of 100% preshrunk cotton
- Snap closure on collar
- Two front pockets with flap and pencil division
- Two large back pockets
- Side openings
- Elastic waistband
- Telescopic back for greater comfort
- Bar-tacked at all stress points
- High-strength thread

Model #	Size	Colour	Front closure
VCK060	36 to 60	Navy	Zipper





LINED COVERALLS

LINED POLYESTER AND COTTON COVERALL

- Made of 65% polyester and 35% cotton
- 4 oz. 100% polyester lining
- Zipper front closure
- Side zipper closure from the waist down
- Two front pockets with flap and pencil division
- Two large back pockets
- Side openings
- Telescopic back for added comfort
- Bar-tacked at all stress points
- High-strength thread

Model #	Size	Colour	Material	Closure
VCK090	S to 3XL	Navy	Polyester and cotton	Zipper



LAB COATS

POLYESTER AND COTTON LAB COAT

- Made of 65% polyester and 35% cotton
- Long life vat dye
- Snap closure
- Four front pockets
- Side openings
- High-strength thread
- Bar-tacked at all stress points

Model #	Size	Colour	Material	Closure
VSK002	28 to 56	White	Polyester and cotton	Snaps
VSK001	28 to 56	Navy	Polyester and cotton	Snaps



LIMITED USE COVERALLS

POLYPROPYLENE LIMITED USE COVERALL

- Made of 100% polypropylene
- SMS (60 g/m² or 1.77 oz./sq.yd.) fabric with breathable membrane to help keep the worker dry and effective against particles
- Simple zipper
- Elastic wrists, ankles and face opening
- Overlock seam and double-stitched crotch seam
- Hood
- Protection against particles Type 5 EN13982-1:2004/A1:2010
- Limited spray-tight protection Type 6 EN13034/A1:2009
- Antistatic properties EN1149

Model #	Size	Colour	Material
VCK320	M to 3XL	Blue	Polypropylene





MICROPOROUS LIMITED USE COVERALL

- Made of microporous polypropylene film (50 g/m2 or 1.48 oz/sq.yd.)
- Breathable material protecting against dust particles and liquids for short contacts
- Single zipper closure with front flap
- Elastic wrists, ankles and face opening
- Front and back pockets
- Overlock seam and double-stitched crotch seam
- Hood
- Protection against particles Type 5 EN13982-1:2004/A1:2010
- Limited spray-tight protection Type 6 EN13034/A1:2009
- Antistatic properties EN1149

Model #	Size	Colour	Material
VCK370	S to 4XL	White	Microporous polypropylene film



LIMITED USE LAB COAT

LIMITED-USE LAB COAT FOR BLOOD-BORNE PATHOGENS AND CHEMICAL SPLASH

- Outer layers of non-woven polypropylene
- Microfiber middle layers filtering water-based liquids and dry particles
- Snaps closure
- Elastic cuffs
- Closed collar
- Knee length
- ASTM F1670: Protection against blood penetration
- ASTM F1671M: Protection against blood-borne pathogens
- ASTM F903-18 (procedure E): Chemical splash protection
- Water Vapor Transmission of Materials ASTM E96: 2800 g/m2/24hr

Model #	Size	Colour	Material
VSK360	S to 5XL	Blue	Polypropylene







WATERPROOF CLOTHING

FIRE RESISTANT RAINSUITS

FR 3-PIECE PVC-COATED POLYESTER RAINSUIT

- Made of 100% polyester fire retardant 0.35mm PVC coated
- Waterproof
- Laminated tape sealed seams for waterproof protection
- Back and under arms vent
- Closure snaps
- Removable hood (snaps)
- Bib overalls with adjustable suspenders
- Corduroy collar for comfort
- The performance of the fabric is tested according to ASTM standard D6413 / D6413M using the vertical flame method for the resistance of textiles.

Model #	Size	Colour	Material
VHKF50	S to 5XL	Yellow	FR PVC and polyester





RAINSUITS

3-PIECE RAINSUIT

- Made of 100% polyester 420D with PVC coating
- Sealed seams
- Resistant to abrasions
- Velcro closure at wrist and pants cuffs
- Detachable and hideaway hood in collar
- Bib overall pants with adjustable suspenders
- Front and back vents
- Zipper front closure

Model #	Size	Colour	Material	Description
VHA406	S to 3XL	Yellow	Polyester and PVC	Jacket, pants, hood





SAFETY BOOTS

8" SAFETY BOOTS

8" TUFFTECH LEATHER SAFETY BOOTS

- Made of Tufftech and Chemtec microfiber
- Injected dual density nitrile rubber industrial outsole resistant to oils, acids and heat
- Cambrelle® lining
- Nomex® thread with H²O Seal® sealed seams
- Shank
- Antibacterial treatment Agion®
- Resistant to water
- Removable molded footbed
- Wear-resistant polyurethane bumper toe
- Protective steel toe
- Padded collar
- Anti-puncture Lenzi plate
- Electric shock resistant outsole
- Wide style 3E
- CSA Z195-14 approved

Model #	Size	Colour	Material
PBS008	5; 6 to 10½; 11 to 13	Black	Tufftech leather



METAL FREE

CEDRIK 8" METAL-FREE LEATHER SAFETY BOOTS

- Made of very resistant Tek leather and full grain leather
- Hydroguard® waterproof membrane
- Lightweight PU/rubber sole
- 200g Thinsulate
- Padded collar
- Protective composite toe cap
- Removable molded footbed
- Wear-resistant TPU bumper toe
- Composite and anti-perforation toe cap and plate
- Electric shock resistant outsole
- Wide style 3E
- CSA Z195-14 approved

Model #	Size	Colour	Material
PBK087	4 to 7; 8 to 10 ½; 11 to 14	Black	Leather





AIRTECH PRO 8" METAL-FREE SAFETY BOOTS

- Made of water-resistant crazy horse leather
- Vibram® TC4 rubber non-skid sole
- 200 g Thinsulate lining
- Nylon with Sympatex® waterproof membrane
- Shank
- H²O Seal® sealed seams
- Antibacterial treatment Agion®
- Stylish and lightweight metal-free boot
- Removable molded footbed
- Composite toe and puncture-resistant plate
- Dielectric
- Padded collar
- Wide style 3E
- CSA Z195-14 approved

Model #	Size	Colour	Material
PBK002	5 to 7; 8 to 10½; 11 to 14	Black	Leather
PBK001	5 to 7; 8 to 10½; 11 to 14	Brown	Leather



TORK 8" METAL-FREE SAFETY BOOTS

- Made of water-resistant nubuck leather
- PU and rubber outsole for better adherence and resistance to oils
- Cambrelle® lining
- 200 g Thinsulate insulation
- Lightweight and metal-free boots
- Removable foam footbed
- Composite protective toe and non-metallic puncture-resistant plate
- Width: 3E
- CSA Z195-14 approved

Model #	Size	Colour	Material
PBK101	7 to 10½; 11 to 14	Tan	Leather



TARMAK 8" METAL-FREE SAFETY BOOTS

- Made of full-grain leather and nylon
- PU and rubber outsole for better adherence and resistance to oils
- Cambrelle® lining
- 200 g Thinsulate insulation
- Lightweight and metal-free boots
- Removable foam footbed
- YKK zipper closure on the inner side providing quick access
- Angled padding for added comfort
- Composite protective toe and non-metallic puncture-resistant plate
- Width: 3E
- CSA Z195-14 approved

Model #	Size	Colour	Material
PBK202	4 to 6; 7 to 10½; 11 to 14	Black	Leather





8" SAFETY BOOTS WITH METATARSAL PROTECTOR

AIRMET 8" SAFETY BOOTS WITH FLEXIBLE INTERNAL **METATARSAL**

- Made of premium quality full-grain leather
- Poron XRD® internal Metguard firms upon impact
- Hydroguard® waterproof membrane
- Cambrelle® lining
- PU/rubber, heat-resistant outsole up to 300°C for one minute
- Thinsulate 200 g
- Flame-retardant stitching
- Padded collar
- Removable insole
- Wear-resistant polyurethane bumper toe
- Composite toe and puncture-resistant plate
- Dielectric
- Width: 3E
- CSA Z195-14 approved

Model #	Size	Colour	Material
PBK060	7, 8 to 10½; 11 to 14	Black	Leather

KASPER 8" SAFETY BOOTS WITH EXTERNAL METATARSAL PROTECTOR

- Made of premium quality full-grain leather
- Antiskid, rubber, industrial outsole
- Cambrelle® lining
- Wear-resistant leather bumper toe
- Removable footbed
- Composite toe and puncture-resistant plate
- Dielectric
- External metatarsal protector
- Width: 3E
- CSA Z195-14 approved

Model #	Size	Colour	Material
PBK150	7,8 to 11½; 12 and 13	Black	Leather

8" SAFETY BOOTS WITH EXTERNAL METATARSAL **PROTECTOR**

- Made of Tufftech and Chemtec microfiber
- Injected dual density nitrile rubber industrial outsole resistant to oils, acids and heat
- Cambrelle® lining
- Nomex® thread with H2O Seal® sealed seams
- Antibacterial treatment Agion®
- External Metatarsal Protector
- Removable molded footbed
- Wear-resistant polyurethane bumper toe
- Protective steel toe
- Padded collar
- Anti-puncture Lenzi plate
- Electric shock resistant outsole
- Wide style 3E
- CSA Z195-14 approved

Model #	Size	Colour	Material
PBS009	6; 7 to 10½; 11 to 14	Black	Tufftech leather













8" SAFETY BOOTS WITH EXTERNAL METATARSAL **PROTECTOR**

- Made of full-grain leather Injected dual density nitrile rubber industrial outsole resistant to oils, acids and heat
- Cambrelle® lining
- Nomex® thread with H2O Seal® sealed seams
- Shank
- Antibacterial treatment Agion® External Metatarsal Protector
- Removable molded footbed
- Wear-resistant polyurethane bumper toe
- Protective steel toe
- Anti-puncture Lenzi plate
- Electric shock resistant outsole
- Wide style 3E
- CSA Z195-14 approved

Model #	Size	Colour	Material
PBS018	4 à 6; 7 to 10½; 11 to 13	Black	Leather



METAL FREE

FALKON 8" SAFETY BOOTS WITH EXTERNAL METATARSAL PROTECTOR

- Made of very resistant Tek leather and full grain leather
- Hydroguard® waterproof membrane
- Lightweight PU/rubber sole
- 200g Thinsulate
- Padded collar
- External Metatarsal Protector
- Protective composite toe cap
- Removable molded footbed
- Wear-resistant TPU bumper toe
- Composite and anti-perforation toe cap and plate
- Electric shock resistant outsole
- Wide style 3E
- CSA Z195-14 approved

Model #	Size	Colour	Material
PBK089	4 à 7; 8 to 10½; 11 to 14	Black	Leather





LINED 8" SAFETY BOOTS WITH METATARSAL PROTECTOR

AIRMET 8" WINTER SAFETY BOOTS WITH FLEXIBLE INTERNAL METATARSAL AND -30°C LINING

- Made of full-grain leather and suede
- Poron XRD® internal Metguard firms upon impact
- Hydroguard® waterproof membrane
- Antiskid, rubber, industrial outsole
- Thinsulate 600 g
- Wear-resistant leather bumper toe
- Padded collar
- Removable memory foam insole
- Composite toe and puncture-resistant plate
- Electric shock resistant outsole
- Width: 3E
- CSA Z195-14 approved

Model #	Size	Colour	Material
PHK010	7, 8 to 9½; 10 and 13	Black	Leather









WATERPROOF BOOTS

15" BLACK WATERPROOF BOOTS

- Made of 100% waterproof PVC
- Anti-slip PVC and nitrile outsole
- Moulded removable insole
- Protective steel toe
- Puncture-resistant steel plate
- Antistatic
- CSA Z195-14 approved

Model #	Size	Colour	Material
PKC001	4 to 13	Black	PVC





SAFETY RUNNING SHOES

KUGA METAL-FREE LIGHTWEIGHT SAFETY RUNNING SHOES

- Made of black microfiber and mesh offering a good comfort
- Breathable and quick-dry padded nylon mesh lining
- Two tone EVA/rubber outsole
- PU insole with memory foam
- Protective composite toe
- Non-metallic puncture-resistant midsole
- CSA Z195-14 approved

Model #	Size	Colour	Material
PEK115	7, 8 to 10½; 11 to 14	Black	Microfiber and mesh











ACCESSORIES

METATARSAL PROTECTOR

LACE-ON BLACK LEATHER METATARSAL GUARD

- Designed to be worn with most safety footwear in order to offer comfortable metatarsal protection.
- Please note that once this metatarsal protector is installed on a CSA certified safety boot, it will not be CSA approved for metatarsal protection but will keep its original certification.

Model #	Size	Colour	Material
PPR009	Universal	Black	Leather



K-GRIP

PCK001 REPLACEMENT CLEATS

- Replacement metal cleats made of rustproof nickel for non-slip outsole PCK001
- 8 cleats per package

Model #	Size
PCK002	
PCK001	M to XL



COMFORTABLE SOLES AND CUSHIONS

POLYMER COMFORT INSOLES

- Dynamik Flex insole for greater comfort
- EVA insole to protect against odours caused by bacteria
- Three silicon zones for optimal shock absorption on the foot points of impact
- Machine washable and air dry

Model #	Size	Colour	Material
PSE009	6 to 13	Black	Polymer



SOCKS

PERFORMANCE+ WORK SOCKS

- Made of 20% Coolmax, 65% cotton, 14% polyester and 1% elastane
- Breathable and quick moisture absorption
- Keeps feet cool and fast drying
- Dryness ***
- Heat ****
- Comfort ****

Model #	Size	Colour	Material
PAK003	M and L	Black and gray	Cotton and Coolmax





PERFORMANCE+ WORK SOCKS

- Made of thin and soft 42% merino wool, 42% acrylic and 16% polyester
- Keeps feet at the right temperature and fast drying
- Dryness ***
- Heat ****
- Comfort ****

Model #	Size	Colour	Material
PAK004	L	Black and gray	Merino wool and acrylic

PERFORMANCE+ WORK SOCKS

- Made of 75% merino wool, 21% nylon and 4% elastane
- Superior control of foot temperature, whatever the season
- Resistant, breathable and keeps feet dry
- Dryness **** Heat ****
- Comfort *****

Model #	Size	Colour	Material
PAK005	Universal	Black and gray	Merino wool and nylon

SET OF WORK SOCKS WITH PERFORMANCE+ LINING

- Made of 70% merino wool, 20% nylon and 2% Spandex
- 70% Coolmax, 28% stretch nylon and 2% Spandex lining for comfort and warmth
- Superior control of foot temperature, whatever the season
- Dryness *****
- Heat *****
- Comfort *****

Model #	Size	Colour	Material
PAK006	M and L	Gray	Merino wool and nylon

COMFORT BOOT LINERS FOR WATERTIGHT BOOTS

- Outside: 100% cotton
- Inside: 100% acrylic
- Moisture and cold protection
- Superior control of foot temperature, whatever the season
- The cotton and acrylic layer combination wicks moisture away from the foot and provides a constant air flow, which regulates the heat or cold around the foot

Model #	Size	Colour	Material
PAK017	4 to 14	Blue	Cotton











GENERAL PURPOSE GLOVES


HIGH DEXTERITY COATED GLOVES

NITRILE-COATED GLOVES

XDEX FOAM NITRILE-COATED NYLON SUPPORT **GLOVES**

- Foam nitrile-coated palm and fingers for an excellent grip in a slightly oily environment
- Seamless 15-gauge thin nylon support
- Excellent dexterity, breathability and durability
- Touchscreen
- CE EN388 4121

Model #	Size	Colour	Material
MKC127	7 to 11 S to 2XL	Black	Nitrile and nylon





- Nitrile-coated palm and fingers for an excellent grip in a slightly oily environment
- Seamless 13-gauge polyester support
- Excellent dexterity, breathability and durability
- Touchscreen
- CE EN388 4121

Model #	Size	Colour	Material
MKC117	7 to 11 S to 2XL	Black	Nitrile and polyester

NITRILE-COATED NYLON SUPPORT GLOVES

- Nitrile-coated palm and fingers for an excellent grip in a slightly oily environment
- Seamless 13-gauge nylon support
- Excellent dexterity, breathability and durability
- Touchscreen
- CE EN388 4122

Model #	Size	Colour	Material
MKC171	7 to 11 S to 2XL	Green	Nitrile and nylon

FOAM NITRILE-COATED NYLON SUPPORT GLOVES

- Foam nitrile-coated palm and fingers for an excellent grip in a slightly oily environment
- Seamless 13-gauge nylon support
- Excellent dexterity, breathability and durability
- Touchscreen
- CE EN388 4121

Model #	Size	Colour	Material
MKC025	7 to 11 S to 2XL	White and gray	Nitrile and nylon











LATEX-COATED GLOVES

LATEX-COATED COTTON AND POLYESTER SUPPORT GLOVES

- Textured latex-coated palm and fingers for a superior grip
- Seamless 10-gauge cotton and polyester support
- Excellent dexterity, breathability and durability
- Very comfortable
- CE EN388 3141

Model #	Size	Colour	Material
MKC098	S to XL	Blue	Latex, cotton and polyester



LATEX-COATED ON NYLON SUPPORT GLOVES

- Seamless 13-gauge nylon support with waterproof latex coating
- Sandy latex-coated palm and fingers for a superior grip
- Excellent dexterity and durability
- Very comfortable
- CE EN388 3131

Model #	Size	Colour	Material
MKC180	S to 3XL	Orange	Latex and nylon



LATEX-COATED KNIT GLOVES WITH ACRYLIC LINING

- Seamless 10-gauge cotton and polyester support with acrylic lining
- Sandy latex-coated palm and fingers for a superior grip
- Good dexterity and durability
- Very comfortable

Model #	Size	Colour	Material
МКСН30	S to 3XL	Black	Latex and acrylic

LATEX-COATED HI-VIS KNIT GLOVES WITH ACRYLIC LINING

- Seamless hi-vis knit with acrylic lining
- Sandy latex-coated palm and fingers for a superior grip
- Good dexterity and durability
- Very comfortable

Model #	Size	Colour	Material
МКСН40	S to 3XL	Yellow	Latex and acrylic







PVC-COATED GLOVES

XDEX FOAM PVC-COATED GLOVES ON NYLON SUPPORT

- Foam PVC-coated palm and fingers for extreme dexterity and comfort on damp surfaces
- Seamless 15-gauge thin nylon support
- Excellent dexterity, breathability and durability
- CE EN388 4131

Model #	Size	Colour	Material
MKC167	7 to 11 S to 2XL	Black	PVC and nylon



XDEX FOAM PVC-COATED GLOVES WITH NYLON SUPPORT AND ACRYLIC LINING

- Foam PVC-coated palm and fingers for extreme dexterity and comfort on damp surfaces
- Seamless 15-gauge thin nylon support with 7-gauge acrylic lining
- Excellent dexterity, breathability and durability
- CE EN388 3242 and EN511 020

Model #	Size	Colour	Material
MKC267	7 to 11 S to 2XL	Black	PVC, nylon and acrylic



COATED GLOVES

NITRILE-COATED GLOVES

FULLY NITRILE-COATED COTTON GLOVES

- Fully coated with nitrile for a better grip
- Rigid safety cuff
- Very comfortable cotton support
- Exceptional resistance to snags, abrasion and cuts
- CE EN388 4121

Model #	Size	Colour	Material
MGC048	Universal	Blue	Nitrile

CE ET

NITRILE-COATED COTTON GLOVES

- Fully coated with nitrile for a superior grip
- Kniť wrist
- Very comfortable cotton support
- Exceptional resistance to snags, abrasion and cuts
- CE EN388 4111

Model #	Size	Colour	Material	Coating
MKC143	7 to 10 S to XL	Blue	Nitrile	Fully coated with nitrile





FULLY NITRILE-COATED FLEECE-LINED GLOVES

- Fully coated with nitrile-rubber for superior dexterity and excellent flexibility up to -30°C
- Waterproof and offers resistance to oil and many chemicals
- Antibacterial to prevent mold and development of unpleasant odor.
- CE EN388 3321 and EN511

Model #	Size	Colour	Material	Lining
MKCX91	M to 2XL	Blue	Nitrile	Polyester polar





PVC-COATED GLOVES

PVC-COATED GLOVES

- Gloves fully coated with PVC and smooth finish
- Resistant to chemical and acid products
- 3" rigid safety cuff
- Very comfortable cotton support
- CE EN388 3121

Model #	Size	Colour	Wrist	Lining
MKC650	Universal	High-visibility orange	3" safety cuff	Foam



LEATHER GLOVES

DRIVER STYLE GLOVES

SHEEPSKIN DRIVER-STYLE GLOVES

- Thin, stretchable and very comfortable
- Ideal choice for tasks requiring good dexterity
- Wing thumb
- Elastic wrist
- A/B grade

Model #	Size	Colour	Material
MGG044	S to XL	White	Full-grain sheepskin leather



FULL-GRAIN LEATHER DRIVER-STYLE GLOVES

- High resistance to abrasion and very durable
- Keystone thumb
- Very resistant stitches
- Elastic wrist
- A/B grade

Model #	Size	Colour	Material
MKG009	S to XL	Beige	Full-grain leather



51



FULL-GRAIN LEATHER DRIVER-STYLE GLOVES

- High resistance to abrasion and very durable
- Keystone thumb
- Very resistant stitches
- Elastic wrist
- A grade

Model #	Size	Colour	Material
MKG202	XS to 2XL	Yellow	Full-grain leather



FULL-GRAIN LEATHER DRIVER-STYLE GLOVES

- Good overall performance
- Straight thumb
- Elastic wrist
- A/B grade

Model #	Size	Colour	Material
MGG009	S to 2XL	Tan	Full-grain leather



FULL-GRAIN DRIVER-STYLE GLOVES WITH KEVLAR WRIST

- Wing thumb
- Highly resistant Kevlar threads
- Elastic Kevlar wrist
- A/B Grade

Model #	Size	Colour	Material
MKG026	XS to 2XL	Brown and tan	Full-grain leather





FULL-GRAIN DRIVER-STYLE GLOVES AND SPLIT LEATHER BACK

- Good overall performance
- Keystone thumb
- Elastic wrist
- B/C grade

Model #	Size	Colour	Material
MKG425	M to 2XL	Brown and tan	Full-grain and split leather





LINED DRIVER STYLE GLOVES

THINSULATE-LINED SHEEPSKIN DRIVER-STYLE GLOVES

- Water-resistant sheepskin leather, grade B
- Thinsulate 100 g lining
- Thin, stretchable and very comfortable
- Keystone thumb
- Elastic wrist
- Ideal for tasks requiring good dexterity

Model #	Size	Colour	Material	Lining
мксн03	S to 3XL	White	Full-grain sheepskin leather	Thinsulate









- Water resistant sheepskin full-Grain Leather A/B grade
- Long hair fleece lining
- Leather patched palm
- Knitted wrist
- Keystone thumb
- Elastic wrist band
- Highly resistant stitches

Model #	Size	Colour	Material	Lining
мксн35	M to 2XL	Yellow	Full-grain sheepskin leather	Polyester polar







- Fleece lining
- Straight thumb
- Elastic wrist
- B/C grade

Model #	Size	Colour	Material	Lining
MGG560	S to 2XL	Beige	Full-grain leather	Fleece







- Fleece lining
- Elastic wrist
- Reinforced wing thumb
- High-durability stitches
- B/C grade

Model #	Size	Colour	Material	Lining
MKG541	S to XL	Beige	Full-grain leather	Fleece







K-INSULATE-LINED GOATSKIN DRIVER-STYLE GLOVES WITH HI-VIS NYLON BACK AND REFLECTIVE TAPE

- Goatskin full-grain leather A/B grade
- K-Insulate 100 g lining
- 1½"reflective tape
- Knitted wrist
- Waterproof nylon hi-viz back
- Thin stretchable and very comfortable
- Keystone thumb
- Elastic wrist
- Ideal for tasks requiring good dexterity

Model #	Size	Colour	Material	Lining
MKGH04	M to 2XL	High-visibility yellow	Grain-leather goatskin	K-Insulate



FULL-GRAIN LEATHER GLOVES

FULL-GRAIN LEATHER GLOVES WITH COTTON BACK

- Rigid safety cuff
- Leather knuckle strap
- Elastic wrist
- Long leather palm
- B/C grade

Model #	Size	Colour	Material	Elastic wrist
MGG001	S to 3XL	Tan	Full-grain leather and cotton	Internal



FULL-GRAIN LEATHER GLOVES WITH COTTON BACK

- Rigid safety cuff
- Leather knuckle strap
- Elastic wrist
- Long leather palm
- B/C grade

Model #	Size	Colour	Material	Elastic wrist
MGG002	Universal	Tan	Full-grain leather and cotton	External



FULL-GRAIN LEATHER GLOVES WITH COTTON BACK

- Rigid safety cuff
- Leather knuckle strap
- Inside elastic wrist
- Lined palm for better resistance
- Long leather palm
- B/C grade

Model #	Size	Colour	Material
MGG134	L and XL	Tan	Full-grain leather and cotton





FULL-GRAIN LEATHER WITH NYLON HI-VISIBILITY BACK GLOVES

- High-visibility waterproof nylon
- Rigid safety cuff
- Reflective wrist tape
- Reflective knuckle strap
- Elastic wrist
- B/C grade

Model #	Size	Colour	Material	Elastic wrist
MKG010	S to 2XL	High-visibility orange	Full-grain leather and nylon	Internal





FULL-GRAIN LEATHER GLOVES WITH COTTON BACK

- 3-piece palm
- Inside lined palm and fingers
- Rigid safety cuff
- Leather knuckle strap
- Highly resistant stitches
- B/C grade

Model #	Size	Colour	Material
MGG220	Universal	Beige	Full-grain leather and cotton

LINED FULL-GRAIN LEATHER GLOVES

THINSULATE-LINED FULL-GRAIN LEATHER WITH NYLON HIGH-VISIBILITY BACK GLOVES

- Thinsulate 100g lining
- High-visibility waterproof nylon
- Reflective wrist tape
- Reflective knuckle strap
- Rigid safety cuff
- Elastic wrist
- Highly resistant stitches
- Full-Grain Leather B/C grade

Model #	Size	Colour	Material	Lining
МКСН01	S to 2XL	High-visibility orange	Full-grain leather and nylon	Thinsulate

THINSULATE-LINED FULL-GRAIN LEATHER WITH COTTON BACK GLOVES

- 100 g Thinsulate lining for more warmth and dexterity
- Rigid safety cuff
- Leather knuckle strap
- Elastic wrist
- Highly resistant stitches
- B/C grade

Model #	Size	Colour	Material	Lining
MGG315	S to 2XL	Beige and red	Full-grain leather and cotton	Thinsulate





LINED FULL-GRAIN LEATHER WITH COTTON BACK **GLOVES**

- Rigid safety cuff
- Leather knuckle strap
- Elastic wrist
- Highly resistant stitches
- B/C grade

Model #	Size	Colour	Material	Lining
MGG312	M to 3XL	Beige and red	Full-grain leather and cotton	Boa







LINED FULL-GRAIN LEATHER WITH COTTON BACK **GLOVES**

- Rigid safety cuff
- Leather knuckle strap
- Elastic wrist
- Highly resistant stitches
- B/C grade

Model #	Size	Colour	Material	Lining
MGG511	S to 2XL	Beige and red	Full-grain leather and cotton	Fleece



LINED FULL-GRAIN LEATHER WITH COTTON BACK **GLOVES - 3-PIECE PALM**

- 3-piece palm Rigid safety cuff
- Leather knuckle strap
- Elastic wrist
- Highly resistant stitches
- B/C grade

Model #	Size	Colour	Material	Lining
MGG503	Universal	Beige and red	Full-grain leather and cotton	Fleece







SPLIT LEATHER GLOVES

SPLIT LEATHER AND COTTON GLOVES WITH LEATHER-**LINED PALM**

- Double thickness over the palm, thumb, and index finger
- Inside lining on palm and fingers
- Rigid safety cuff
- Leather knuckle strap
- Elastic wrist
- Highly resistant stitches
- B/C grade

Model #	Size	Colour	Material
MGG235	Universal	Gray and green	Split leather and cotton





SPLIT LEATHER AND COTTON GLOVES

- Rigid safety cuff
- Inside lining on palm and fingers
- Leather knuckle strap
- Elastic wrist
- Highly resistant stitches
- B/C grade

Model #	Size	Colour	Material
MGG236	S to XL	Gray	Split leather and cotton

SPLIT LEATHER AND COTTON GLOVES WITH 3-PIECE PALM

- Inside lining on palm and fingers
- Rigid safety cuff
- Leather knuckle strap
- Elastic wrist
- Highly resistant stitches
- B/C grade

Model #	Size	Colour	Material
MGG242	Universal	Gray	Split leather and cotton



LINED SPLIT LEATHER GLOVES

BOA - LINED SPLIT LEATHER WITH COTTON BACK GLOVES

- Split leather and cotton A/B grade
- Boa lining
- Rigid safety cuff with knitted wrist
- Leather knuckle strap
- Elastic wrist
- Highly resistant stitches

Model #	Size	Colour	Material	Lining
MKGH13	S to 2XL	Yellow and black	Split leather and cotton	Воа





K-INSULATE - LINED SPLIT LEATHER WITH COTTON BACK GLOVES

- Split leather and cotton
- K-Insulate 100 g lining
- Rigid safety cuff
- Leather knuckle strap
- Elastic wrist
- Highly resistant stitches

Model #	Size	Colour	Material	Lining
MKGH14	S to 2XL	Red and black	Split leather and cotton	K-Insulate







LINED SPLIT LEATHER AND COTTON GLOVES

- Rigid safety cuff Leather knuckle strap
- Elastic wrist
- Highly resistant stitches
- B/C grade

Model #	Size	Colour	Material	Lining
MGG436	Universal	Gray and red	Split leather and cotton	Foam and fleece





WOMEN'S GLOVES

WOMEN'S FULL-GRAIN LEATHER AND COTTON GLOVES

- Rigid safety cuff
- Leather knuckle strap
- Elastic wrist
- Highly resistant stitches
- B/C grade

Model #	Size	Colour	Material	Lining
MGD003	Universal	Beige	Full-grain leather	None





LEATHER MITTS

LINED FULL-GRAIN COWHIDE MITTS

- Removable boa lining
- Elastic wrist
- B/C grade

Model #	Size	Colour	Material	Removable lining
MMG301	M to XL	Beige	Full-grain leather	Воа

UNLINED FULL-GRAIN COWHIDE MITTS

- Elastic wrist
- B/C grade

Model #	Size	Colour	Material
MMG024	Universal	Beige	Full-grain leather









HIGH PERFORMANCE GLOVES

GOATSKIN LEATHER GLOVES

MECHANICAL GOATSKIN LEATHER GLOVES

- Goatskin leather palm and fingers
- Reinforced wing thumb
- High visibility breathable polyester 4 ways stretch back
- Back of fingers in breathable polyester mesh
- Elastic wrist with Velcro closure
- A/B Grade

Model #	Size	Colour	Material
MKS105	S to 2XL	White and Lime	Goatskin leather



ANTI-VIBRATION MECHANICAL GOATSKIN LEATHER GLOVE

- Goatskin leather palm padded with foam at pressure points
- Breathable polyester 4 ways stretch back and fingers
- Leather knuckle protection
- Elastic wrist with Velcro closure
- A/B Grade

Model #	Size	Colour	Material
MKS150	S to 2XL	Yellow and black	Goatskin leather



ANTI-VIBRATION MECHANICAL GOATSKIN HALF-FINGERS **LEATHER GLOVE**

- Goat leather palm padded with foam at pressure points
- Breathable polyester 4 ways stretch back and half-fingers
- Neoprene knuckle protection
- Elastic wrist with Velcro closure
- A/B Grade

Model #	Size	Colour	Material
MKS155	S to 2XL	Yellow and black	Goatskin leather



LINES GOATSKIN LEATHER GLOVES

THINSULATE-LINED MECHANICAL GOATSKIN LEATHER **GLOVES**

- Goatskin leather palm and fingers
- Thinsulate740 g lining
- Reinforced wing thumb
- High visibility breathable polyester 4 ways stretch back
- Back of fingers in breathable polyester mesh
- Elastic wrist with Velcro closure
- A/B Grade

Model #	Size	Colour	Material	Lining
MKSH05	S to 2XL	White and Lime	Goatskin leather	Thinsulate









SYNTHETIC LEATHER GLOVES

ANTI-VIBRATION SYNTHETIC LEATHER GLOVES

- Synthetic leather palm with neoprene pressure point padding
- Slightly padded back made of elastic mesh
- Open wrist for easy slip on
- Inside elastic band lined for better support
- Ventilation holes on finger sides
- Touchscreen

Model #	Size	Colour	Material
MKC090	S to XL	Red, gray and black	Synthetic leather



ANTI-VIBRATION POLYESTER AND SYNTHETIC LEATHER GLOVES

- Synthetic leather palm
- EVA and PVC pressure point padding
- Non-slip silicone printing
- Breathable polyester mesh on back with neoprene knuckle protection
- Terry cloth on thumb for sweat wiping
- EVA padding at pressure points
- Elastic wrist with Velcro closure
- Synthetic leather reinforced thumb
- PVC fingertips

Model #	Size	Colour	Material
MKS001	S to 2XL	Black	Synthetic leather



SYNTHETIC LINED LEATHER GLOVES

K-INSULATE LINED ANTI-VIBRATION POLYESTER AND SYNTHETIC LEATHER GLOVES

- Synthetic leather palm
- K-Insulate 100g lining
- EVA and PVC pressure point padding
- Non-slip silicone printing
- Breathable polyester mesh on back with neoprene knuckle protection
- Terry cloth on thumb for sweat wiping
- EVA padding at pressure points
- Elastic wrist with Velcro closure
- Synthetic leather reinforced thumb
- PVC finger tips

Model #	Size	Colour	Material	Lining
MKSH11	S to 3XL	Black	Synthetic leather	K-Insulate







KNIT GLOVES

POLYESTER AND COTTON KNIT GLOVES

- 65% polyester and 35% cotton knit
- Elastic wrist

Model #	Size	Colour	Material
MGJ011	S to XL	White	Cotton and polyester

WOOL AND ACRYLIC KNIT GLOVES

- Made of 80% wool and 20% acrylic
- Elastic wrist

Model #	Size	Colour	Material
MGJ007	Universal	Gray	Wool and acrylic



DISPOSABLE GLOVES

DISPOSABLE NITRILE GLOVES

POWDER-FREE DISPOSABLE NITRILE GLOVES

- Made of nitrile with excellent resistance to hydrocarbons, fats and solvents
- Powder-free
- Ambidextrous
- Latex-free
- Length 9½"
- Textured fingertips for a better grip
- Offers good elasticity, superior resistance to abrasion, tears and moderate protection against punctures

Model #	Size	Colour	Texture	Buying qty	Thickness
MKC115	S to XL	Black	Fingertips	100/box	5 mils
MKC104	S to XL	Sky blue	Fingertips	100/box	4 mils
MKC107	M to 2XL	Orange	Hand	90-100/box	7 mils



SPECIALIZED GLOVES

CHEMICAL-RESISTANT GLOVES

PVC-COATED GLOVES

14" 3-LAYER PVC-COATED GLOVES

- Made of three layers of PVC
- Jersey lining
- Rough finish for a better grip

Model #	Size	Colour	Material
MGC240	Universal	Green	PVC





14" PVC-COATED GLOVES

- Jersey lining
- Rough finish for a better grip
- CE EN388 3121

Model #	Size	Colour	Material
MGC005	Universal	Green	PVC
MGC005	Universal	Green	PV

14" PVC-COATED GLOVES

- Interlock lining
- Protection against many types of oils, greases, acids, corrosive agents and solvents

Model #	Size	Colour	Material
MGC012	Universal	Yellow	PVC



CUT-RESISTANT GLOVES

LEATHER CUT-RESISTANT GLOVES

FULL-GRAIN CUT-RESISTANT HIGH-DENSITY POLYETHYLENE-LINED DRIVER-STYLE GLOVES

- Thin stretchable and very comfortable
- Wing thumb with reinforced leather patch
- Elastic wrist
- High density polyethylene liner (HPPE)
- 2800g of cut protection
- ANSI/ISEA 105-2016 level A5 certification for cut resistance, and level 3 for puncture
- A/B grade

Model #	Size	Colour	Material	ANSI cut level
MKGV25	S to 2XL	White	Full-grain leather and HPPE	A5



FULL-GRAIN CUT AND IMPACT-RESISTANT HIGH-DENSITY POLYETHYLENE-LINED DRIVER-STYLE GLOVES

- Thin stretchable and very comfortable
- Back TPR protection
- Wing thumb with reinforced leather patch
- Elastic wrist
- High density polyethylene liner (HPPE)
- 2800g of cut protection
- ANSI/ISEA 105-2016 level A5 certification for cut resistance, and level 3 for puncture
- ANSI/ISEA 138 level 3 certification for impact protection, mean transmitted force ≤4kN
- A/B grade







COATED CUT-RESISTANT GLOVES

POLYURETHANE-COATED HIGH-DENSITY POLYETHYLENE CUT-RESISTANT GLOVES

- Polyurethane coated palm and fingers
- Resistance to abrasion, cuts and punctures
- Elastic wrist preventing debris from entering the glove
- Open back helps keep hand cool by wicking sweat away
- Ergonomic design for greater hand comfort
- Excellent flexibility, durability and dexterity
- 13 gauge high density polyethylene carrier
- 540g of cut protection
- ANSI / ISEA 105-2016 level A2 certification for cut resistance

Model #	Size	Colour	Material	ANSI cut level	Description
MKV070	XS to 2XL	Gray and black	HPPE and polyurethane	A2	
MKV070-VMI	XS to 2XL	Gray and black	HPPE and polyurethane	A2	Folded for vending machine



POLYURETHANE-COATED HIGH-DENSITY POLYETHYLENE CUT-RESISTANT GLOVE

- Polyurethane coated palm and fingers
- Resistance to abrasion, cuts and punctures
- Elastic wrist preventing debris from entering the glove
- Open back keeps the hand cool and wicks moisture away
- Ergonomic design for greater hand comfort
- Excellent flexibility, durability and dexterity
- 13 gauge high density polyethylene carrier
- 500g of cut protection
- ANSI / ISEA 105-2016 level A2 certification for cut resistance

Model #	Size	Colour	Material	ANSI cut level
MKV018	S to 2XL	White	HPPE and polyurethane	A2





POLYURETHANE-COATED HIGH-DENSITY POLYETHYLENE CUT-RESISTANT GLOVE

- Polyurethane coated palm and fingers
- Excellent grip in a slightly oily environment
- Elastic cuff against entry of debris
- Open back helps keep hand cool by wicking sweat away
- Touchscreen
- Elastic wrist preventing debris from entering the glove
- Open back keeps the hand cool and wicks moisture away
- Ergonomic design for greater hand comfort
- High density polyethylene and 13 gauge fiberglass support
- 1830g of cut protection
- ANSI / ISEA 105-2016 level A4 certification for cut resistance, level 4 for abrasion and level 3 for punctures

Model #	Size	Colour	Material	ANSI cut level
MKV212	S to 2XL	Gray	HPPE and polyurethane	A4





FOAM NITRILE-COATED HIGH-DENSITY POLYETHYLENE **CUT-RESISTANT GLOVE**

- Foam nitrile-coated palm and fingers for an excellent grip in a slightly oily environment
- Elastic wrist preventing debris from entering the glove
- Breathable material on the back
- Touchscreen
- High density polyethylene and 13 gauge fiberglass support
- 2226g of cut protection
- ANSI / ISEA 105-2016 level A5 certification for cut resistance, level 4 for abrasion and level 3 for punctures

Model #	Size	Colour	Material	ANSI cut level
MKV349	XS to 3XL	Lime and black	HPPE, steel fiber and nitrile	A5



FOAM NITRILE COATED HIGH DENSITY POLYETHYLENE **CUT RESISTANT GLOVES WITH TPR IMPACT PROTECTION**

- Foam mitrile-coated palm and fingers with sandblasted finish
- TPR back protection
- Thumb reinforcement
- Elastic wrist preventing debris from entering the glove
- Excellent grip in a slightly oily environment
- 13 gauge high density polyethylene carrier
- 3430g of cut protection
- ANSI / ISEA 105-2016 level A6 certification for cut resistance, level 3 for puncture, level 6 for abrasion
- ANSI / ISEA 138 level 1 impact protection certification, average transmitted force ≤ 9kN

Model #	Size	Colour	Material	ANSI cut level
MKVA05	S to 3XL	Lime and orange	HPPE, steel fiber, TPR and nitrile	A6





NEW





WELDER'S GLOVES

DEER LEATHER WELDING GLOVES WITH COW SPLIT LEATHER BACK

- 4½" safety cuff
- High-resistance Kevlar thread
- Unlined
- Thumb strap
- A/B grade

Model #	Size	Colour	Material
MKG519	XL to 2XL	Yellow	Deer Leather / Cow split leather



COTTON-LINED SPLIT LEATHER WELDING GLOVES

- 4" safety cuff
- High-resistance Kevlar thread
- Cotton lining
- B/C grade

Model #	Size	Colour	Material
MGS004	Universal	Gray	Split leather



FULL-GRAIN LEATHER WELDING GLOVES WITH SPLIT LEATHER BACK

- 4" safety cuff
- High-resistance Kevlar thread
- Unlined
- B/C grade

Model #	Size	Colour	Material
MGS019	S and XL	Gray/beige	Full-grain leather and Split leather

FULL-GRAIN LEATHER WELDING GLOVES

- Split leather 4" safety cuff
- High-resistance Kevlar thread
- Unlined
- B/C grade

Model #	Size	Colour	Material
MGS022	Universal	White with red cuff	Full-grain leather and Split leather





FULL-GRAIN LEATHER GLOVES WITH SPLIT LEATHER BACK

- 5" rigid split leather safety cuff
- Reinforced wing thumb
- Adjustable Velcro closure
- Fleece lining
- High-resistance Kevlar thread
- A/B grade

Model #	Size	Colour	Material	Lining
MKG177	XS to XL	Gray	Full-grain leather and Split leather	Fleece



12" FULL-GRAIN AND SPLIT LEATHER GLOVES

- Made of full-grain leather with split leather on back and 6" safety cuff
- Fleece lining
- Inside elastic wrist
- Kevlar knit wrist
- High-resistance Kevlar thread
- A/B grade

Model #	Size	Colour	Material	Lining
MGG077	S to 3XL	Gray	Full-grain leather and Split leather	Foam and fleece



12" FULL-GRAIN LEATHER TIG WELDING LINED **GLOVES WITH SPLIT LEATHER BACK**

- Glove for TIG welding (tungsten inert gas welding)
- Made of full grain leather
- Split leather back and 5" safety cuff Full foam and flannel lining for better heat resistance
- High strength Kevlar thread
- A/B grade

Model #	Size	Colour	Material	Lining
MKGS25	M to 2XL	White and yellow	Full-grain leather and Split leather	Fleece







14" FULL-GRAIN LEATHER MIG WELDING LINED GLOVES WITH SPLIT LEATHER BACK

- Glove for MIG welding (metal inert gas)
- Made of full grain leather
- Split leather back and 6" safety cuff
- Foam and flannel on the back of the wrist for better heat resistance
- High strength Kevlar thread
- The design allows you to remove a glove easily if it gets too hot
- A grade

Model #	Size	Colour	Material	Lining
MKGS50	M to 2XL	White and blue	Full-grain leather and Split leather	Fleece









DEER SPLIT LEATHER WELDING GLOVES

- Split deer leather hand
- Split leather cow safety cuff
- Kevlar knit wrist
- Jersey aramid 240gms lining
- High resistance Kevlar® thread
- Palm with split leather deer protection for extra resistance
- 5" safety cuff
- Split leather cow tabs
- A/B grade

Model #	Size	Colour	Material	Lining
MKG063	M to 2XL	Orange and gray	Deer and Split leather	Jersey aramid

LINEMAN GLOVES

UNLINED FULL-GRAIN LEATHER GLOVES

- 5" rigid split leather safety cuff, unlined
- Thumb strap
- Adjustable Velcro closure
- A/B grade

Model #	Size	Colour	Material
MGG060	S to XL	Gray	Full-grain leather





13" LINEMAN FULL-GRAIN LEATHER GLOVES WITH SPLIT LEATHER BACK

- 5½" split leather safety cuff
- Made of full-grain leather with split leather back, unlined
- Reinforced wing thumb and seams
- Elastic wrist
- Adjustable Velcro closure
- A/B grade

Model #	Size	Colour	Material
MGG068	XS to 3XL	Gray	Full-grain leather



SAFETY SLEEVES

CUT-RESISTANT SLEEVES

CUT-RESISTANT SLEEVE

- 100% Para-aramid tube sleeve
- Cut resistant
- 14", snug knit fit, double folded
- 1850g of cut protection
- ANSI / ISEA 105-2016 level A4 certification for cut resistance
- EN407 level 1 for thermal protection

Model #	Length	Colour	Material	Specificity	Buying qty
VMN065	14"	Yellow	Para-aramid	Without thumb hole	2



DISPOSABLE SLEEVES

WHITE POLYETHYLENE PROTECTIVE SLEEVES

- Made of polyethylene
- 16" length
- 100 per box
- Elastic openings at both ends

Model #	Length	Colour	Material	Buying qty
VMNK16	16"	White	Polyethylene	100/box







SAFETY GLASSES

FRAMELESS SAFETY GLASSES

"FREEDOM" SAFETY GLASSES


- Lightweight and comfortable wraparound glasses with an efficient design close to the face offering a wide and clear view
- Anti-scratch polycarbonate lens, filtering more than 99.9% of harmful UV rays
- Soft, non-slip rubber temple tips providing non-binding fit
- Integrated nose bridge
- CSA Z94.3/ANSI Z87.1 approved



Model #	Lens	Frame	Lens coating
YLU381	Gray	Gray	Anti-scratch, anti-UV and antistatic
YLU377	Gray	Gray	Antifog, anti-scratch, anti-UV and antistatic
YLU081	Clear	Clear	Anti-scratch, anti-UV and antistatic
YLU077	Clear	Clear	Antifog, anti-scratch, anti-UV and antistatic
YLU777	Amber	Amber	Anti-scratch, anti-UV and antistatic
YLU177	Orange	Orange	Anti-scratch, anti-UV and antistatic
YLU281	Coffee	Coffee	Anti-scratch, anti-UV and antistatic
YLU181	Blue	Blue	Antifog, anti-scratch, anti-UV and antistatic
YLU781	Purple	Purple	Anti-scratch, anti-uv and antistatic
YLU977	Mirror (indoor/outdoor)	Clear	Anti-scratch, anti-uv and antistatic
YLU877	Mirror blue	Black	Anti-scratch, anti-uv and antistatic
YLU477	Mirror silver	Black	Anti-scratch, anti-uv and antistatic
YLU581	Mirror gold	Black	Anti-scratch, anti-uv and antistatic

"MINI-FREEDOM" SAFETY GLASSES

- Lightweight and comfortable wraparound glasses with an economical design better suited for slimmer facial features
- Anti-scratch polycarbonate lens, filtering more than 99.9% of harmful UV rays
- Soft, non-slip rubber temple tips providing non-binding fit
- Integrated nose bridge
- CSA Z94.3/ANSI Z87.1 approved







"WAVE" SAFETY GLASSES

- Comfortable and lightweight glasses, offering very high protection
- Frameless, ideal for all-day wear
- Anti-scratch polycarbonate lens, filtering more than 99.9% of harmful UV rays
- Curved nylon temples, ergonomically shaped for comfort and stability
- Integrated nose bridge
- CSA Z94.3/ANSI Z87.1 approved


Model #	Lens	Frame	Lens coating
YLK487	Gray	Black	Antifog, anti-scratch, anti-uv and antistatic
YLK087	Clear	Black	Antifog, anti-scratch, anti-uv and antistatic
YLK082	Clear	Black	Anti-scratch, anti-uv and antistatic



"SERENITY" SAFETY GLASSES




- Anti-scratch lens, filtering more than 99.9% of harmful UV rays
- Flexible rubber temples generate a soft cushion for pressure-free fit behind the ear, and secure the eyewear from shifting out of
- Thin, soft flange of the extra0wide nosepiece distributes weight of the glass evenly across the bridge, eliminating pressure on the nose
- CSA Z94.3/ANSI Z87.1 approved



"OTG - TOSKA" SAFETY GLASSES

- Designed to better fit over today's prescription eyewear
- Anti-scratch polycarbonate lens, filtering more than 99.9% of harmful UV rays
- Lightweight nylon temples, adjustable length and pitch with non-slip material for added comfort
- Single lens wrapping the eyes for a better protection
- Integrated nose bridge
- CSA Z94.3/ANSI Z87.1 approved
















FRAME SAFETY GLASSES

"SKY" SAFETY GLASSES



- Ideal foam padding forms perfect seal to keep out dust and airborne particles and removable for easy cleaning
- Anti-scratch polycarbonate lens, filtering more than 99.9% of harmful UV rays
- Slim, co-injected temples with adjustable pitch for a snug, secure fit
- Integrated nose bridge
- CSA Z94.3/ANSI Z87.1 approved



Model #	Lens	Frame	Lens coating
YLK089	Mirror gray	Black	Antifog, anti-scratch, anti-UV and antistatic
YLK088	Clear	Black	Antifog, anti-scratch, anti-UV and antistatic
YLK090	Amber	Black	Antifog anti-scratch anti-UV and antistatic

"K SERIES" SAFETY GLASSES

- Comfortable glasses, very high protection with 9.75 base curved lens providing full side protection
- Anti-scratch polycarbonate lens, filtering more than 99.9% of harmful UV rays
- Lightweight nylon temples, adjustable to four different lengths
- The nose bridge secures the glasses and prevents slipping while providing a pillow-soft fit
- CSA Z94.3/ANSI Z87.1 approved







Model #	Lens	Frame	Lens coating
YLU475	Gray	Black	Antifog, anti-scratch, anti-UV and antistatic
YLU075	Clear	Black	Antifog, anti-scratch, anti-UV and antistatic
YLU675	Mirror (indoor/outdoor)	Black	Antifog, anti-scratch, anti-UV and antistatic

"K SERIES READERS" SAFETY GLASSES

- Comfortable reader glasses, very high protection with 9.75 base curved lens providing full side protection
- Anti-scratch polycarbonate lens, filtering more than 99.9% of harmful UV rays
- Lightweight nylon temples, adjustable to four different lengths
- The nose bridge secures the glasses and prevents slipping while providing a pillow-soft fit
- CSA Z94.3/ANSI Z87.1 approved







Model #	Lens	Frame	Lens coating	Strength
YLKR15	Clear	Black	Anti-scratch, anti-uv and antistatic	1.5
YLKR20	Clear	Black	Anti-scratch, anti-uv and antistatic	2.0
YLKR25	Clear	Black	Anti-scratch, anti-uv and antistatic	2.5



"MERCY" SAFETY GLASSES

- High-protection safety glasses
- One-piece glasses with a wide and clear view and integrated side protection
- Anti-scratch polycarbonate lens, filtering more than 99.9% of harmful UV rays
- Adjustable temples
- Designed to fit over prescription eyewear
- CSA Z94.3/ANSI Z87.1 approved





CLEANING SOLUTION

LENS CLEANING STATION

- Silicone-free cleaning solution
- Remove dirt quickly
- Wet wipes do not scratch the lens surface
- Contains: 2 boxes of 300 wipes, a bottle of 8 oz. of antistatic and anti-fog cleaning spray

Model #	Wipes	Bottle
YNK001	2 boxes x 300	8 oz.



LENS CLEANING TOWELETTES

- Wall-mounted distributor of 100 pre-moistened, individually packaged towelettes
- For plastic, glass, polycarbonate lenses and safety goggles
- Antistatic and anti-fog formula
- Silicone-free
- Dimension: 8" x 5"

Model #	Wipes
YNK002	100



CLEANING STATION

EYEWASH STATION

- Emergency eyewash station made of impact-resistant plastic
- White and very visible
- Small built-in mirror to see the contaminated eyes or face
- 4 predrilled holes to facilitate mounting
- Contains one empty 1-liter bottle

Model #	Bottle
YSY010	1 liter (empty)





HARD HATS

HARD HAT

- High-density polyethylene shell
- Lightweight, low profile fit
- 4-point nylon suspension
- Ratchet adjustment
- Rain trough shell
- Slots for universal accessories
- Compliant for reverse orientation
- Logo imprint program available upon request
- CSA Z94.1-15 Type 1 and ANSI/ISEA Z89.1-14 Type 1 Class C, E, G

Model #	Colour	Suspension	Туре
TCK101	Yellow	Ratchet	1
TCK102	White	Ratchet	1
TCK103	Orange	Ratchet	1
TCK104	Navy	Ratchet	1
TCK105	Sky blue	Ratchet	1



ACCESSORIES FOR HARD HATS

SUSPENSION REPLACEMENT

- 4-point nylon suspension
- Swinging hinge points allows you to find the most comfortable
- position on the back of the head
- Rear padded suspension provides additional level of comfort
- Replaceable sweat band

Model #	Model	Suspension
TSK100	Kosto	Ratchet



SUSPENSION HEADBAND

- Replaceable sweat band made of padded fabric and polyurethane foam for all day wear
- Absorbs perspiration from draining into the eyes

Model #	Size	Buying qty
TBK015	Universal	12/pkg



CHIN STRAP

- Elastic chin strap with chin cup for a comfortable fit
- Quick clips design for easy installation on most hard hats on the market
- Adjustable buckle on both sides to make length adjustment easy

Model #	Size	Buying qty
TMK050	Universal	Per unit



spi-s.com



NEOPRENE WITH 3M SCOTCHLITE HIGH-VISIBILITY TAPE FOR HARD HATS

- Neoprene Supergrip with 3M Scotchlite high-visibility tape
- Makes the worker's head visible at all times for a better protection
- Easy to install and stays in place without glue

Model #	Size	Colour	Material
TBK001	Universal	Gray	Neoprene



COLD AND HEAT PROTECTION

HARD HAT LINERS

ACRYLIC HARD HAT LINER

Includes slots for inserting hard hat suspension

Model #	Size	Colour	Material
THD076	Universal	Red	Acrylic



COTTON HARD HAT LINER WITH FACE PROTECTOR

- Fire-resistant cotton
- Extended neck
- Removable face protector
- Quilted Kasha internal lining
- Elastic tether strap with Velcro

Model #	Size	Colour	Material
THD003	Universal	Navy	Cotton

COTTON HARD HAT LINER

- Fire-resistant cotton liner
- Quilted kasha lining
- Elastic strap with Velcro

Model #	Size	Colour	Material
THD008	Universal	Navy	Cotton

COTTON HARD HAT LINER

- Fire-resistant cotton liner
- Quilted kasha lining
- Neck protector
- Removable ear cover

Model #	Size	Colour	Material
THD012	Universal	Black	Cotton









TUQUES, BALACLAVAS AND NECK WARMERS

ACRYLIC BALACLAVA WITH ONE-HOLE OPENING

Model #	Size	Colour	Material
THP002	Universal	Black	Acrylic



ACRYLIC TOQUE WITH THINSULATE LINING

Model #	Size	Colour	Material	Lining
THK001	Universal	Navy	Acrylic	Thinsulate



ACRYLIC TOQUE

Model #	Size	Colour	Material
THT001	Universal	Black	Acrylic



NECK WARMER

Model #	Size	Colour	Material
THC001	Universal	Black	Acrylic
THD104	Universal	Navy	Acrylic
THD103	Universal	Red	Acrylic



STRETCHABLE ACRYLIC HARD HAT LINER

Model #	Size	Colour	Material
THD007	Universal	Navy	Acrylic



76



FIRE RESISTANT TUQUES, BALACLAVAS AND NECK WARMERS

NOMEX FIRE-RESISTANT HOOD WITH OPENING

- Flameproof balaclava hood
- One hole
- Neck protector
- Certification of compliance: NFPA1971

Model #	Size	Colour	Material	Neck
TCA026 (Q)	Universal	Beige	Nomex	Long
TCA026	Universal	Beige	Nomex	Short



FR AND ARCFLASH BALACLAVA

- Made of 49.5% Kermel, 49.5% FR Viscose and 1% antistatic
- One opening
- Meets the minimum requirements for ASTM F1959 / F1506 / NFPA 70E
- Arc flash protection (Cat. 3), ATPV 33cal/cm2

Model #	Size	Colour	Material	ATPV (cal/cm²)
THKF50	Universal	Orange	Kermel and viscose	33
THKF20	Universal	Black	Kermel and viscose	33









FR AND ARCFLASH NECK WARMER

- Made of 49.5% Kermel, 49.5% FR Viscose and 1% antistatic
- Meets the minimum requirements for ASTM F1959 / F1506 / NEPA 70E
- Arc flash protection (Cat. 3), ATPV 33cal/cm2

Model #	Size	Colour	Material	ATPV (cal/cm²)
THKF40	Universal	Orange	Kermel and viscose	33
THKF10	Universal	Black	Kermel and viscose	33









FR AND ARCFLASH CUFFED TOQUE

- Made of 49.5% Kermel, 49.5% FR Viscose and 1% antistatic
- Meets the minimum requirements for ASTM F1959 / F1506 / NFPA 70E
- Arc flash protection (Cat. 3), ATPV 33cal/cm2

Model #	Size	Colour	Material	ATPV (cal/cm²)
THKF60	Universal	Orange	Kermel and viscose	33
THKF30	Universal	Black	Kermel and viscose	33











FR AND ARCFLASH BEANIE

- Made of 49.5% Kermel, 49.5% FR Viscose and 1% antistatic
- Meets the minimum requirements for ASTM F1959 / F1506 / NIEPA 70E
- Arc flash protection (Cat. 3), ATPV 33cal/cm2

Model #	Size	Colour	Material	ATPV (cal/cm²)
THKF62	Universal	Orange	Kermel and viscose	33
THKF32	Universal	Black	Kermel and viscose	33









DISPOSABLES

BEARD NET

BEARD NET

- Made of lightweight, breathable polypropylene
- Non-woven textile
- Folded
- 100 per bag
- Covers beard, mustache and sideburns

Model #	Size	Colour	Material	Buying qty
TFK010	19"	White	Polypropylene	100/bag





BOUFFANT CAP

WHITE PLEATED BOUFFANT CAP

- Made of lightweight, breathable polypropylene
- Non-woven textile
- Folded
- 100 per bag

Model #	Size	Colour	Material	Buying qty
TFK020	L and XL 21" and 24"	White	Polypropylene	100/bag



WHITE BOUFFANT CAP

- Made of lightweight, breathable polypropylene
- Non-woven textile
- Round shape
- 100 per bag

Model #	Size	Colour	Material	Buying qty
TFK022	L and XL 21" and 24"	White	Polypropylene	100/bag







LAMPS

FLASHLIGHTS

FLASHLIGHT WITH 12 LED LIGHTS

- Aluminum case
- Bulb resistant to impacts and adverse weather
- Bulb's lifespan: 100,000 hours
- Useful life: 15 hours
- Requires 3 AAA batteries not included

Model #	Description
ALK002	Flashlight
AEK001	Closed cowhide leather case for belt



HEADLAMPS

LED HEADLIGHT

- 4 lighting modes:
- White LED beam 100%
- White LED beam 50%
- Red LED
- Flashing red LED Beam distance: 80 m
- Water resistant IPX-5
- Adjustable elastic strap
- Pivoting head
- Requires 3 AAA batteries not included

Model #	Colour
ALK011	Black / Gray





MINER HEADLAMPS

HEADLAMP FOR MINER'S HARD HAT WITH 1 LED LIGHT AND 6 LED EMERGENCY LIGHTS

- ABS case
- 2000 lux from the start
- Lifespan of main light: 30,000 hours
- Continuous useful life: 15 hours
- 70° hat adapter
- Requires a "Li-ion" rechargeable battery (included)

Model #	Dimensions	Colour
ALK200	3" x 2¼" x 2"	Black





DOCKING STATION FOR ALK200 MINER'S HEADLAMPS

- Station that can charge many lamps at the same time
- Numbered LED display identifies the location of each lamp
- AC voltage: 110 volts

Model #	Description
ALK250	Docking station for 48 miner's headlamps
ALK280	Docking station for 80 miner's headlamps with doors and locks
ALK296	Docking station for 96 miner's headlamps
ALK216	Docking station for 16 miner's headlamps





REPLACEMENT PARTS FOR ALK200 MINER'S HEADLAMP

Model #	Description	
ALK203	LED lightbulb and PCBA control with reflector	
ALK204	Replacement lens cover	
ALK207	Replacement strap 1m	
ALK208	Charger outlet protector	
ALK209	Button protector	
ALK211	Replacement charger	
ALK212	70-degree bracket replacement	
ALK213	1.45 m replacement strap	
ALK215	Replacement back cover	
ALK220	Replacement battery	

MINER'S HEADLAMP WITH CORD

- LED technology
- Extra-long lifespan: 50,000 hours
- Low-battery alert (when the power is not enough for one hour lighting, the lamp will flash once every 6 seconds)
- "Li-ion" battery: compact and lightweight with no maintenance required
- Intelligent charge protection: overcharge protection, current control, short-circuit protection and overheat protection
- Individual charger included

Model #	Colour
ALK300	Black



spi-s.com



DOCKING STATION FOR 60 ALK300 MINER'S HEADLAMPS

- Docking station for up to 60 miner's headlamps Station using power switches to control the system
- Constant electric current and voltage to charge the lithium battery
- Overload protection that stops automatically when the battery is fully charged
- Voltmeter displaying the input voltage as well as a current-meter indicating the load current for each lamp Maximum load current of 1000 mA

Model #	Description
ALK350	Multiple docking station for 60 headlamps



REPLACEMENT PARTS FOR ALK300 MINER'S HEADLAMP

Model #	Description	
ALK301	Replacement battery	
ALK302	1.4-m power supply cord	
ALK303	Battery case	
ALK304	Replacement lightbulb	
ALK305	Replacement cover	
ALK306	Replacement bracket	
ALK307	Replacement lens	
ALK308	Replacement metal clip	
ALK309	230-volt replacement charger	



SPILL KIT

SPILL KIT FOR OIL AND PETROLEUM-BASED PRODUCTS

- Includes:
- 20 pads (16" x 18")
- Two socks (3" x 48")
- One epoxy paste (2 oz.)
- One disposable bag (35" x 50")
- One bag of peat moss
- One disposable mask
- One pair of nitrile gloves
- One nylon bag with compartments

Model #	Absorption capacity
DEK052	8 gallons



UNIVERSAL 6 GALLON SPILL KIT BUCKET

- 18.9L (5 gallon) waterproof plastic protective container
- Absorption capacity: 6 gallons
- Contains:
- 10 x Universal pads
- 3 x (3 "x 48") Úniversal socks
- 1 x Pair of nitrile gloves
- 2 x Disposable bags
- 1 x Instruction sheet
- Highly versatile, grey absorbents pick-up water-based, petroleum-based and non-aggressive chemical fluids
- The 5 gallon bucket is ideal for small spills response, is easily accessible and reusable
- Ideal for rapid response to critical accidents

Model #	Absorption capacity
DEK065	6 gallons







81



TRAFFIC CONES

TRAFFIC CONES

- Orange PVC traffic cones
- Black rubber base for better stability
- Durable and flexible in all weather conditions
- -20°C resistance

Model #	Height	Colour	Weight	Specification
SCK002	18"	Orange	1,1kg	Without reflective tapes
SCK001	28"	Orange	3,2kg	With 4" and 6"reflective tapes



DELINEATOR

- Post:
- Orange polyethylene with UV inhibitors to protect against fading
- Molded handle for mobility.
- 2 x 3 "High Visibility Strips"
- 2 x Reflectors with screws
- Based:
- Black rubber base for better stability
- Durable and flexible in all weather conditions
- * SOLD SEPARATELY

Model #	Dimensions	Colour	Weight	Description
SPK045	49" × 4"	Orange	1,1kg	Post
SBK010	17" × 17"	Black	4,5kg	Base



EMERGENCY KIT

S.O.S. VEHICLE EMERGENCY KIT

- Emergency kit includes:
- 1 x Booster cables
- 1 x Reflective safety triangle
- 1 x Multi-purpose Screwdriver / Pliers 2 x 12 hours emergency lightstick
- 1 x Aluminum emergency blanket
- 1 x Flashlight
- 1 x Whistle
- 4 x Tie wraps 4"
- 1 x Knitting work gloves (pair)
- 1 x Emergency candle
- 1 x Matchbox
- 2 x Bungee straps
- 1 x S.O.S plastic flag









BARRICADE TAPES

BARRICADE TAPE

- Continuously printed barricade tape warns people of dangerous
- Ideal for controlling and directing crowds
- Made of resistant polyethylene

Model #	Legend	Colour	Dimensions
SRD303	Danger	Black on yellow	3" x 1000'
SRD307	Danger	Black on red	3" x 1000'
SRD310	Attention	Black on yellow	3" x 1000'
SRD355	Caution	Black on yellow	3" x 1000'
SRD357	Danger do not enter	Black on red	3" x 1000'
SRD359	Danger défense d'entrer	Black on red	3" x 1000'



FLAGS AND ACCESSORIES

POLYESTER FLAG WITH REFLECTIVE CROSS

- Made of fluorescent orange polyester
- 2" fluorescent lime-green and reflective silver cross on either
- Sleeve for pole with 3 grommets Pole sold separately: SBA001

Model #	Colour	Dimensions
SDR182	High-visibility orange	20" x 28"

POLYESTER FLAG

- Made of orange 100% polyester Sleeve for pole with 3 grommets
- Pole sold separately: SBA001

Model #	Model # Colour	
SDR183	High-visibility orange	16" x 16"



spi-s.com



STORAGE BAG

EQUIPMENT CARRYING AND STORAGE BAG

- Perfect for equipment transportation

- Dobby nylon
 Two webbed carry handles
 Adjustable/non-detachable shoulder strap
 Open slash pocket on front
 Single top zipper to main compartment
 Mesh pocket

Model #	Colour	Dimensions
K-BAG	Black	24" x 12" x 10"







FIRST AID KIT - QUÉBEC











Content	FTR019	FTR020	FTR021
Plastic box	1		1
Metal box		1	
First aid manual	1	1	1
Disposable gloves	1	3	1
Scissors	1	1	1
Safety pin (12)	1	1	1
Plastic strip 1x3	25	25	5
Gauze pad 4x4	25	25	5
Gauze bandage 4x10	4	4	1
Gauze bandage 2x10	4	4	1
Triangular bandage	6	6	2
Cosmapore tape 1x10	2	2	1
Antiseptic wipe	25		5
Pressure bandage 4"	4	4	2
Tweezers	1	1	
Rescue breather	1	1	
Cosmapore tape ½x10		1	
Soap bar		1	
Tongue depressor		12	
Elastic bandage 2"		1	
Cotton swab 3"		100	
Wood splint (6)		1	
Splint padding		2	
Eye pad		2	
Plastic eye shield		2	
Cotton ball		10	
Abdominal pad 5x9		1	
Abdominal pad 8x10		1	
Knuckle bandage		5	
Fingertip bandage		5	
Benzalkonium		50	



FIRST AID KIT - SASKATCHEWAN



Content	MF-M16S	MF-M24S	MF-M36S
Metal box	1	1	1
First aid manual	1	1	1
Benzalkonium	10	20	30
Gauze bandage 2x5	3	6	9
Plastic strip ¾x3	25	50	75
Gauze pad 2x2	2	4	6
Gauze bandage 4x5	3	6	9
Tweezers	1	1	1
Green soap 50 ml	1	1	1
Eye shield	1	2	3
Elastic bandage 3"	1	1	2
Eye pad	1	2	3
Rescue breather	1	1	1
Abdominal pad 5x9	2	4	6
Gauze pad 3x3	2	4	6
Scissors	1	1	1
Pressure bandage 4"	2	4	6
Cosmopore tape ½x10	1	2	3
Elastic bandage 2"	1	1	1
Nitrile gloves	6	6	6
Safety pin (12)	1	1	1
Triangular bandage	2	4	6
Accident record book	1	1	1
Pencil	1	1	1
Esmarch bandage	1	1	
Conform bandage 4"	1	2	3
Esmarch bandage	1	1	



FIRST AID KIT - ALBERTA





Content	MF-M16A2000	MF-M24A2000	MF-M36A2000
Metal box	1	1	1
First aid manual	1	1	1
Elastic bandage 3"	1	2	4
Plastic strip ¾x3	25	50	100
Gauze pad 4x4	10	20	50
Safety pin (12)	1	1	1
Tweezers	1	1	1
Pressure bandage 6"	2	3	6
Adhesive tape 1x5	1	1	2
Rescue breather	1	1	1
Triangular bandage	3	4	12
Biohazard red bag	1	1	2
Conform bandage 3x5	2	2	6
Scissors	1	1	1
Pressure bandage 4"	2	3	6
Nitrile glove	4	6	12
Abdominal pad 8x10		1	1
Eye pad		1	2
Benzalkonium	10	10	24
Tubular gauze			1

FIRST AID KIT - NEWFOUNDLAND AND LABRADOR





Content	FTR113
Metal box	1
Accident record book	1
Pair of disposable gloves	1
Safety pin (12)	1
Scissors	1
Tweezers	1
Plastic strip 1x3	12
Gauze pad 4x4	12
Triangular bandage	2
Gauze bandage 4x5	2
Adhesive tape 1x5	1
Antiseptic wipe	10
Pressure bandage 4"	1
Aluminum emergency blanket	1



FIRST AID KIT - ONTARIO





Content	MF-300- PLS	MF-1-FAK	MF-1-FAK- ABS	MF-2-FAK
Plastic box	1		1	
Metal box		1		1
First aid manual	1	1	1	1
Pair of disposable nitrile gloves	1	2	2	6
Scissors	1	1	1	1
Safety pin (12)	1	1	1	1
Plastic strip ¾x3	12	25	25	50
Gauze pad 3x3	4	12	12	48
Gauze bandage 2x5	2	4	4	20
Gauze bandage 4x5		4	4	8
Triangular bandage	1	6	6	12
Adhesive tape 1x5		1	1	2
Adhesive tape ½x2½	1			
Antiseptic wipes	12	25	25	100
Pressure bandage 2"				2
Pressure bandage 4"	2	4	4	4
Pressure bandage 6"		1	1	1
Tweezers 4½				1
Tweezers	1	1	1	
Rescue breather	1	1	1	
Fabric strip ¾x3	3			50
Knuckle bandage	3	12	12	12
Fingertip bandage	3	12	12	12
Fabric bandage 2x3	3	6	6	6
Hand wipe	3	4	4	6
Padded splint		3	3	2
Wood splint (6)				1
Metallic splint		1	1	
Emesis basin				1
Cetrimide ointment		1	1	1
Cotton applicator 3"		24	24	
lodine pad	3			
Burn-free		1	1	1
Elastic bandage 2"		1	1	1
Cold pack 4x6	1			
Burn-free	1	1	1	1
Elastic bandage 2"	1			
Cold pack 4x6	1	1	1	1

88



FIRST AID KIT - BRITISH COLUMBIA





			,
Content	FTR153	FTR249	FTR116
Red nylon pouch	1	1	1
Conform bandage 3"		2	
Tensor bandage 3" x 5	1	2	2
Elasticized pressure bandage 4 ½" x 6 ½"			4
Triangular bandages	1	2	4
Scissors	1	1	1
Abdominal pad 8" X 10" sterile			4
Elastic pad 6"	1	4	
Gauze pad 4x4	6	10	20
Emergency blanket		1	1
Disposable gloves (1 pair)	3	6	6
Accident record book		1	1
Pocket mask with one-way valve		1	1
Fabric finger strips	1	5	5
Fabric Knuckle strips	1	5	5
Plastic strips 1" x 3"	4	20	20
Plastic strips ¾" x 3"	4	20	20
Tweezers		1	1
Quick release adhesive tape		2	2
Adhesive tape 1" x 5 yds	1	1	2
Ziplock bag	1	1	1
Benzalkonium antiseptic wipes	6	24	24
Windlass style turnstile		1	1





CATALOG KOSTO 2021

www.spi-s.com