



V-TEC® EDGE Personal Fall Limiters Crossover Guide



WE KNOW WHAT'S AT STAKE.

Legacy	10192006	10192009	10192012	10192015
New	VTLEW-021-PA-A	VTLEW-022-PA-A	VTLEW-021-PB-A	VTLEW-022-PB-A
Description	V-TEC EDGE PFL, 8 ft. (2.4 m), single-leg, AL36CL (bottom), locking pin (top), web , ANSI/OSHA	V-TEC EDGE PFL, 8 ft. (2.4 m), twin-leg, AL36CL (bottom), locking pin (top), web , ANSI/OSHA	V-TEC EDGE PFL, 8 ft. (2.4 m), single-leg, 36C (bottom), locking pin (top), web , ANSI/OSHA	V-TEC EDGE PFL, 8 ft. (2.4 m), twin-leg, 36C (bottom), locking pin (top), web , ANSI/OSHA
Image				

Legacy	10192022	10192025	10192039	10192042
New	VTLEW-021-PC-A	VTLEW-022-PC-A	VTLEW-021-PE-A	VTLEW-022-PE-A
Description	V-TEC EDGE PFL, 8 ft. (2.4 m), single-leg, ALTAKS (bottom), locking pin (top), web , ANSI/OSHA	V-TEC EDGE PFL, 8 ft. (2.4 m), twin-leg, ALTAKS (bottom), locking pin (top), web , ANSI/OSHA	V-TEC EDGE PFL, 8 ft. (2.4 m), single-leg, 36CS (bottom), locking pin (top), web , ANSI/OSHA	V-TEC EDGE PFL, 8 ft. (2.4 m), twin-leg, 36CS (bottom), locking pin (top), web , ANSI/OSHA
Image				

Legacy	10192048	10192051	10192519	10192516
New	VTLEW-021-PF-A	VTLEW-022-PF-A	VTLEW-021-PJ-A	VTLEW-022-PJ-A
Description	V-TEC EDGE PFL, 8 ft. (2.4 m), single-leg, 36CL (bottom), locking pin (top), web , ANSI/OSHA	V-TEC EDGE PFL, 8 ft. (2.4 m), twin-leg, 36CL (bottom), locking pin (top), web , ANSI/OSHA	V-TEC EDGE PFL, 8 ft. (2.4 m), single-leg, FP5K (bottom), locking pin (top), web , ANSI/OSHA	V-TEC EDGE PFL, 8 ft. (2.4 m), twin-leg, FP5K (bottom), locking pin (top), web , ANSI/OSHA
Image				

ANSI/OSHA

Legacy	10227164	10227165	63062-00A	63162-00A	63162-00C
New	VTLEW-021-PS-A	VTLEW-022-PS-A	VTLEG-021-PA-A	VTLEG-022-PA-A	VTLEG-022-PC-A
Description	V-TEC EDGE PFL, 8 ft. (2.4 m), single-leg, coated snaphook (bottom), locking pin (top), web , ANSI/OSHA	V-TEC EDGE PFL, 8 ft. (2.4 m), twin-leg, coated snaphook (bottom), locking pin (top), web , ANSI/OSHA	V-TEC EDGE PFL, 8 ft. (2.4 m), single-leg, AL36CL (bottom), locking pin (top), cable , ANSI/OSHA	V-TEC EDGE PFL, 8 ft. (2.4 m), twin-leg, AL36CL (bottom), locking pin (top), cable , ANSI/OSHA	V-TEC EDGE PFL, 8 ft. (2.4 m), twin-leg, ALTAKS (bottom), locking pin (top), cable , ANSI/OSHA
Image					

Legacy	63062-00E	63162-00E	63062-00F	63162-00F	63072-00A
New	VTLEG-021-PE-A	VTLEG-022-PE-A	VTLEG-021-PF-A	VTLEG-022-PF-A	VTLEG-021-PJ-A
Description	V-TEC EDGE PFL, 8 ft. (2.4 m), single-leg, 36CS (bottom), locking pin (top), cable , ANSI/OSHA	V-TEC EDGE PFL, 8 ft. (2.4 m), twin-leg, 36CS (bottom), locking pin (top), cable , ANSI/OSHA	V-TEC EDGE PFL, 8 ft. (2.4 m), single-leg, 36CL (bottom), locking pin (top), cable , ANSI/OSHA	V-TEC EDGE PFL, 8 ft. (2.4 m), twin-leg, 36CL (bottom), locking pin (top), cable , ANSI/OSHA	V-TEC EDGE PFL, 8 ft. (2.4 m), single-leg, FPSK (bottom), locking pin (top), cable , ANSI/OSHA
Image					

Legacy	10192007	10192010	10192013	10192040	10192043
New	VTLEW-021-PA-C	VTLEW-022-PA-C	VTLEW-021-PB-C	VTLEW-021-PE-C	VTLEW-022-PE-C
Description	V-TEC EDGE PFL, 8 ft. (2.4 m), single-leg, AL36CL (bottom), locking pin (top), web , CSA	V-TEC EDGE PFL, 8 ft. (2.4 m), twin-leg, AL36CL (bottom), locking pin (top), web , CSA	V-TEC EDGE PFL, 8 ft. (2.4 m), single-leg, 36C (bottom), locking pin (top), web , CSA	V-TEC EDGE PFL, 8 ft. (2.4 m), single-leg, 36CS (bottom), locking pin (top), web , CSA	V-TEC EDGE PFL, 8 ft. (2.4 m), twin-leg, 36CS (bottom), locking pin (top), web , CSA
Image					

Legacy	10192049	10192052	63062-00ACA	63162-00ACA	63062-00CCA
New	VTLEW-021-PF-C	VTLEW-022-PF-C	VTLEG-021-PA-C	VTLEG-022-PA-C	VTLEG-021-PC-C
Description	V-TEC EDGE PFL, 8 ft. (2.4 m), single-leg, 36CL (bottom), locking pin (top), web , CSA	V-TEC EDGE PFL, 8 ft. (2.4 m), twin-leg, 36CL (bottom), locking pin (top), web , CSA	V-TEC EDGE PFL, 8 ft. (2.4 m), single-leg, AL36CL (bottom), locking pin (top), cable , CSA	V-TEC EDGE PFL, 8 ft. (2.4 m), twin-leg, AL36CL (bottom), locking pin (top), cable , CSA	V-TEC EDGE PFL, 8 ft. (2.4 m), single-leg, ALTAKS (bottom), locking pin (top), cable , CSA
Image					

Legacy	63062-00ECA	63162-00ECA	63062-00ICA	63162-00ICA
New	VTLEG-021-PE-C	VTLEG-022-PE-C	VTLEG-021-PM-C	VTLEG-022-PM-C
Description	V-TEC EDGE PFL, 8 ft. (2.4 m), single-leg, 36CS (bottom), locking pin (top), cable , CSA	V-TEC EDGE PFL, 8 ft. (2.4 m), twin-leg, 36CS (bottom), locking pin (top), cable , CSA	V-TEC EDGE PFL, 8 ft. (2.4 m), single-leg, 36CSL (bottom), locking pin (top), cable , CSA	V-TEC EDGE PFL, 8 ft. (2.4 m), twin-leg, 36CSL (bottom), locking pin (top), cable , CSA
Image				



MSA—The Safety Company

Established in 1914, MSA Safety Incorporated is the global leader in the development, manufacture, and supply of safety products that protect people and facility infrastructures. Many MSA products integrate a combination of electronics, mechanical systems, and advanced materials to protect users against hazardous or life-threatening situations. The company's comprehensive product line is used by workers around the world in a broad range of markets, including the oil, gas, and petrochemical industry, the fire service, the construction industry, mining, and the military. MSA's core products include self-contained breathing apparatus, fixed gas and flame detection systems, portable gas detection instruments, industrial head protection products, firefighter helmets and protective apparel, and fall protection devices. With 2023 revenues of \$1.8 billion, MSA employs approximately 5,000 people worldwide. The company is headquartered north of Pittsburgh in Cranberry Township, PA, and has manufacturing operations in the United States, Europe, Asia, and Latin America. With more than 40 international locations, MSA realizes approximately half of its revenue from outside North America. For more information visit MSA's web site at www.MSAsafety.com.

Our Mission

MSA's mission is to see to it that men and women may work in safety and that they, their families, and their communities may live in health throughout the world.

MSA: WE KNOW WHAT'S AT STAKE.

Note: This Bulletin contains only a general description of the products shown. While product uses and performance capabilities are generally described, the products shall not, under any circumstances, be used by untrained or unqualified individuals. The products shall not be used until the product instructions/user manual, which contains detailed information concerning the proper use and care of the products, including any warnings or cautions, have been thoroughly read and understood. Specifications are subject to change without prior notice. MSA is a registered trademark of MSA Technology, LLC in the US, Europe, and other Countries. For all other trademarks visit <https://us.msasafety.com/Trademarks>.

MSA operates in over 40 countries worldwide. To find an MSA office near you, please visit MSAsafety.com/offices.