



Dexterity® S13FRNE

Arc Flash tested gloves that guard against flames and cuts

An engineered yarn that blends DuPont™ Kevlar® fiber with flame-resistant fibers gives these gloves an Arc Flash testing level of 2, as well as ANSI Level 3 abrasion resistance, 360° ANSI Level A4 cut protection and ANSI Level 3 puncture resistance. Their knit shell construction ensures that the hands still enjoy a wide range of movement and neoprene-coated palms provide a strong, steady grip even in wet or oily conditions. An Ultra-Fresh treatment achieves a 99.9% antimicrobial status.

MADE IN
CANADA

ABRASION

ARC FLASH
8 cal/cm²

CUT



HEAT



PUNCTURE



DETAILS

PRODUCT FEATURES

- 13-gauge knit shell increases dexterity and hand movement
- A blend of DuPont™ Kevlar® fiber and flame-resistant fibers provide ANSI Level 3 abrasion resistance, 360° ANSI Level A4 cut protection and ANSI Level 3 puncture resistance
- Arc Flash testing placed these gloves at level 2, with an Arc Thermal Performance Value (ATPV) of 9.2 cal/cm²
- Neoprene palm coating provides a strong, steady grip in dry and wet conditions, great flame-resistant properties and resistance to oil
- These gloves are treated with Ultra-Fresh to achieve a 99.9% antimicrobial status

DuPont™, the DuPont Oval Logo, and all trademarks and service marks denoted with ™, SM or ® are owned by affiliates of DuPont de Nemours, Inc. unless otherwise noted. © 2021 DuPont.

APPLICATIONS

MINING, OIL & GAS, UTILITIES

RECOMMENDED FOR

PETRO-CHEMICAL, REFINERY, UTILITIES
MAINTENANCE

SPECS

SPECIFICATIONS

PRODUCT ID

S13FRNE

MATERIAL

Kevlar®

CE CERTIFICATION CODE	None	MADE IN	Canada
SIZES	5, 6, 7, 8, 9, 10, 11	INSTRUCTIONS	No Bleach, Wash & Tumble Dry
LADIES SIZES	None	CUFF LENGTH	2"
CUFF STYLE	Knit		
GAUGE	13-Gauge		
PALM COATING	Palm, Palm Coating Texture, Neoprene		
DIP TYPE	Palm		

SHIPPING AND PACKAGING

UNSPSC CODE	46181536	COUNTRY OF ORIGIN	Canada
SHIP PACK QUANTITY	12	SKID QUANTITY	24
WEIGHT (LB)	28.6	CASE DIMENSIONS (IN)	21.25x16.5x11.75
UNIT OF MEASURE	Pair		

HAZARD PROTECTIONS

ABRASION	ANSI Level 3	CRUSH	None
ARC FLASH	ANSI CAT 2 8Cal/cm2	CUT	360° Cut, ANSI A4
CHEMICAL	None	HEAT	ANSI Level 1 (80°C or 176°F)
COLD	None	FLAME	Flame
IMPACT	None		
VIBRATION	None		
PUNCTURE (PROBE)	ANSI Level 3		
PUNCTURE (HYPODERMIC NEEDLE)	None		

FEATURES AND TECH

ANTI-MICROBIAL	Yes	FDA COMPLIANT	None
BIODEGRADABLE	None	HIGH VISIBILITY	None


CFIA COMPLIANT	None	LATEX FREE	None
CLEANROOM FRIENDLY	None	LOW-LINTING	None
CRUSH RESISTANT FINGERCAPS (FINGERTIPS ONLY)	None	MADE IN AMERICAS	None
DISPOSABLE	None	MADE IN CANADA	Yes
DOUBLE PALM	None	NON-MARRING	None
ESD/ ANTI-STATIC	None	OIL/WATER REPELLANT (TREATMENT)	None
EXTENDED SIZES	Yes	REINFORCED THUMB CROTCH	None
SILICONE FREE	None		
TOUCHSCREEN FRIENDLY	None		
UKCA / CE CERTIFIED	None		
VEND PACK	None		
WATER RESISTANT (MATERIAL)	None		
WATERPROOF	None		
WELDING	None		

FIT & SIZING

A proper fit is extremely important. An uncomfortable fit causes hand fatigue and ultimately could lead to a potential workplace hazard.

Measure the width of your hand from the base of your first finger and across your knuckles.

SIZE	WIDTH (MM)	WIDTH (IN)
5 / 2XS	50 MM	2 IN
6 / XS	63 MM	2.5 IN
7 / S	75 MM	3 IN
8 / M	88 MM	3.5 IN
9 / L	101 MM	4 IN
10 / XL	113 MM	4.5 IN
11 / 2XL	126 MM	5 IN
12 / 3XL	140 MM	5.5 IN



Request a Sample of This Product on SuperiorGlove.com

**OR EMAIL US AT
BUSINESS.DEVELOPMENT@SUPERIORGLOVE.COM**



Copyright © 2021 Superior Glove. All Rights Reserved.

[Privacy Policy](#)[Accessibility](#)[Accessibility Request Form](#)