



## Endura® 378KGTVB

Impact protection and 360° cut resistance that keeps hands warm down to -20°C / -4°F

These tough goatskin gloves include reinforced back-of-hand protection to guard against impact while a DuPont™ Kevlar® fiber / composite filament fiber lining provides 360° ANSI Level A5 cut protection. A padded palm increases durability while suppressing vibrations, and Thinsulate™ lining ensures warmth in temperatures down to -20°C / -4°F.



# DETAILS

## PRODUCT FEATURES

- DuPont™ Kevlar® / composite filament fiber lining provides 360° ANSI Level A5 cut protection
- Impact-resistant back-of-hand protection safeguards against knocks and bumps without impeding flexibility or dexterity
- High tensile strength goatskin provides outstanding abrasion resistance
- Padded palm for vibration dampening

DuPont™, the DuPont Oval Logo, and all trademarks and service marks denoted with ™, SM or ® are owned by affiliates of DuPont de Nemours, Inc. unless otherwise noted. © 2021 DuPont.

## APPLICATIONS

CONSTRUCTION, MINING, OIL & GAS, UTILITIES

### RECOMMENDED FOR

DRILLING, MATERIAL HANDLING, OIL REFINERY, UTILITY MAINTENANCE

### ALTERNATIVE VERSIONS

**378GKGVB**

# SPECS

## SPECIFICATIONS

<b>PRODUCT ID</b>	378KGTVB	<b>MATERIAL</b>	Leather, Goatskin, Kevlar®
<b>CE CERTIFICATION CODE</b>	EN388: 2X22EP	<b>MADE IN</b>	Pakistan
<b>SIZES</b>	XS, S, M, L, XL, 2XL, 3XL	<b>INSTRUCTIONS</b>	Dry-Clean
<b>LADIES SIZES</b>	None	<b>CUFF LENGTH</b>	2"
<b>CUFF STYLE</b>	Safety		
<b>GAUGE</b>	None		
<b>PALM COATING</b>	None		
<b>DIP TYPE</b>	None		

## SHIPPING AND PACKAGING

<b>UNSPSC CODE</b>	46181504	<b>COUNTRY OF ORIGIN</b>	Pakistan
<b>SHIP PACK QUANTITY</b>	12	<b>SKID QUANTITY</b>	16
<b>WEIGHT (LB)</b>	43.8	<b>CASE DIMENSIONS (IN)</b>	21.75x11x17.25

## UNIT OF MEASURE

Pair

## HAZARD PROTECTIONS

<b>ABRASION</b>	None	<b>CRUSH</b>	None
<b>ARC FLASH</b>	None	<b>CUT</b>	360° Cut, ANSI A5
<b>CHEMICAL</b>	None	<b>HEAT</b>	None
<b>COLD</b>	-20°C/-4°F	<b>FLAME</b>	None
<b>IMPACT</b>	ANSI/ISEA 138 Level 2		
<b>VIBRATION</b>	Vibration		
<b>PUNCTURE (PROBE)</b>	ANSI Level 4		
<b>PUNCTURE (HYPODERMIC NEEDLE)</b>	None		

## FEATURES AND TECH


<b>ANTI-MICROBIAL</b>	None	<b>FDA COMPLIANT</b>	None
<b>BIODEGRADABLE</b>	None	<b>HIGH VISIBILITY</b>	None
<b>CFIA COMPLIANT</b>	None	<b>LATEX FREE</b>	None
<b>CLEANROOM FRIENDLY</b>	None	<b>LOW-LINTING</b>	None
<b>CRUSH RESISTANT FINGERCAPS (FINGERTIPS ONLY)</b>	None	<b>MADE IN AMERICAS</b>	None
<b>DISPOSABLE</b>	None	<b>MADE IN CANADA</b>	None
<b>DOUBLE PALM</b>	None	<b>NON-MARRING</b>	None
<b>ESD/ ANTI-STATIC</b>	None	<b>OIL/WATER REPELLANT (TREATMENT)</b>	Yes
<b>EXTENDED SIZES</b>	Yes	<b>REINFORCED THUMB CROTCH</b>	None
<b>SILICONE FREE</b>	None		
<b>TOUCHSCREEN FRIENDLY</b>	None		
<b>UKCA / CE CERTIFIED</b>	None		
<b>VEND PACK</b>	None		
<b>WATER RESISTANT (MATERIAL)</b>	None		
<b>WATERPROOF</b>	None		
<b>WELDING</b>	None		

# FIT & SIZING

A proper fit is extremely important. An uncomfortable fit causes hand fatigue and ultimately could lead to a potential workplace hazard.

Measure the width of your hand from the base of your first finger and across your knuckles.

SIZE	WIDTH (MM)	WIDTH (IN)
5 / 2XS	50 MM	2 IN
6 / XS	63 MM	2.5 IN
7 / S	75 MM	3 IN
8 / M	88 MM	3.5 IN
9 / L	101 MM	4 IN
10 / XL	113 MM	4.5 IN
11 / 2XL	126 MM	5 IN
12 / 3XL	140 MM	5.5 IN



**Request a Sample of This Product on  
SuperiorGlove.com**

**OR EMAIL US AT  
BUSINESS.DEVELOPMENT@SUPERIORGLOVE.COM**



