



•DUPONT•
Kevlar

Endura® 378GKGVB

Arc Flash-rated cut resistant driver gloves that protect against sparks and flame


These tough goatskin gloves provide reinforced back-of-hand protection and a DuPont™ Kevlar® fiber / composite filament fiber lining that offers 360° ANSI Level A5 cut protection while defending against impact injuries. They've received an Oilbloc™ treatment which prevents oils and liquids from soaking into the leather, and a padded palm increases durability while suppressing vibrations. A level 3 Arc Flash testing rating ensures protection from sparks and flame.

English



DETAILS

PRODUCT FEATURES

- DuPont™ Kevlar® / composite filament fiber lining provides 360° ANSI Level A5 cut protection
- Padded palm for vibration dampening
- Arc Flash testing placed these gloves at level 3, with an Arc Thermal Performance Value (ATPV) of 36 cal/cm²
- Impact-resistant back-of-hand protection safeguards against knocks and bumps without impeding flexibility or dexterity
- High tensile strength goatskin provides outstanding abrasion resistance
- Treated with Oilbloc™ for unbeatable oil and water resistance
-  **WARNING: Cancer and Reproductive Harm**
– P65Warnings.ca.gov

DuPont™, the DuPont Oval Logo, and all trademarks and service marks denoted with TM, SM or ® are owned by affiliates of DuPont de Nemours, Inc. unless otherwise noted. © 2021 DuPont.

APPLICATIONS

CONSTRUCTION, MINING, OIL & GAS, UTILITIES

RECOMMENDED FOR

HEAVY MACHINERY & POWERED TOOL OPERATION, OIL DRILLING, OIL REFINERY, WELL SERVICING

ALTERNATIVE VERSIONS

378GKGVB

378GKG4P

378GKGVBG

SPECS

SPECIFICATIONS

PRODUCT ID	378GKGVB	MATERIAL	Leather, Goatskin, Kevlar®
CE CERTIFICATION CODE	EN388: 3X22DP	MADE IN	Pakistan
SIZES	XS, S, M, L, XL,	INSTRUCTIONS	English Dry-Clean

2XL, 3XL

LADIES SIZES	None	CUFF LENGTH	2"
CUFF STYLE	Safety		
GAUGE	None		
PALM COATING	None		
DIP TYPE	None		

SHIPPING AND PACKAGING

UNSPSC CODE	46181504	COUNTRY OF ORIGIN	Pakistan
SHIP PACK QUANTITY	12	SKID QUANTITY	24
WEIGHT (LB)	38.8	CASE DIMENSIONS (IN)	22.25x11.5x13
UNIT OF MEASURE	Pair		

HAZARD PROTECTIONS

ABRASION	ANSI Level 4	CRUSH	None
ARC FLASH	ANSI CAT 3 25Cal/cm2	CUT	360° Cut, ANSI A5
CHEMICAL	None	HEAT	None
COLD	None	FLAME	Flame
IMPACT	ANSI/ISEA 138 Level 2		
VIBRATION	Vibration		
PUNCTURE (PROBE)	ANSI Level 5		
PUNCTURE (HYPODERMIC NEEDLE)	None		

FEATURES AND TECH

ANTI-MICROBIAL	None	FDA COMPLIANT	None
BIODEGRADABLE	None	HIGH VISIBILITY	None
CFIA COMPLIANT	None	LATEX FREE	None
CLEANROOM FRIENDLY	None	LOW-LINTING	None
CRUSH RESISTANT FINGERCAPS (FINGERTIPS ONLY)	None	MADE IN AMERICAS	None
		MADE IN CANADA	None

English


DISPOSABLE	None	NON-MARRING	None
DOUBLE PALM	None	OIL/WATER REPELLANT (TREATMENT)	Yes
ESD/ ANTI-STATIC	None	REINFORCED THUMB CROTCH	None
EXTENDED SIZES	Yes		
SILICONE FREE	None		
TOUCHSCREEN FRIENDLY	None		
UKCA / CE CERTIFIED	None		
VEND PACK	None		
WATER RESISTANT (MATERIAL)	None		
WATERPROOF	None		
WELDING	None		

FIT & SIZING

A proper fit is extremely important. An uncomfortable fit causes hand fatigue and ultimately could lead to a potential workplace hazard.

Measure the width of your hand from the base of your first finger and across your knuckles.

SIZE	WIDTH (MM)	WIDTH (IN)
5 / 2XS	50 MM	2 IN
6 / XS	63 MM	2.5 IN
7 / S	75 MM	3 IN
8 / M	88 MM	3.5 IN
9 / L	101 MM	4 IN
10 / XL	113 MM	4.5 IN
11 / 2XL	126 MM	5 IN
12 / 3XL	140 MM	5.5 IN



English

Request a Sample of This Product on SuperiorGlove.com

**OR EMAIL US AT
BUSINESS.DEVELOPMENT@SUPERIORGLOVE.COM**



Copyright © 2021 Superior Glove. All Rights Reserved.

[Privacy Policy](#)[Accessibility](#)[Accessibility Request Form](#)

English