



## Endura® 399GKGL5

Extended gauntlet MIG  
Welding gloves with 360°  
cut protection and heat  
resistance up to 200°C /  
392°F


Abrasion resistant goatskin leather and durable wing thumbs optimize these MIG welding gloves for the long haul, while 6" gauntlet cuffs provide extra coverage when heat is a hazard. A cut-and-sewn construction gives these gloves a close, dexterous fit, and their lining made with blended aramid provides 360° ANSI Level A4 cut protection and ANSI Level 3 puncture resistance. Testing

places these gloves at an arc flash level 3 rating, and ANSI level 3 heat rating with protection up to 200°C / 392°F.



# DETAILS

## PRODUCT FEATURES

- Heat protection up to 200°C / 392°F
- Blended aramid liner provides 360° ANSI Level A4 cut protection
- ANSI Level 3 puncture protection
- High tensile strength goatskin provides outstanding abrasion resistance
- Cut-and-sewn construction for an optimal, comfortable fit
- Wing thumb design for durability and comfort, and extended gauntlet cuffs for added protection
- Arc Flash testing placed these gloves at level 3, with an Arc Thermal Performance Value (ATPV) of 36 cal/cm²
-  **WARNING:** Cancer and Reproductive Harm – [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

## APPLICATIONS

CONSTRUCTION, METAL FABRICATION, OIL & GAS, UTILITIES

**RECOMMENDED FOR**

OIL REFINERY, TIG/MIG WELDING, UTILITY MAINTENANCE

# SPECS

## SPECIFICATIONS

PRODUCT ID	399GKGL5	MATERIAL	Leather, Goatskin
CE CERTIFICATION	None	MADE IN	English

02/08/2022 14:06		Endura® 399GKGL5 - Superior Glove	
CE CERTIFICATION CODE	NONE	MADE IN	Pakistan
SIZES	S, M, L, XL, 2XL, 3XL	INSTRUCTIONS	Dry-Clean
LADIES SIZES	None	CUFF LENGTH	6"
CUFF STYLE	Gauntlet		
GAUGE	None		
PALM COATING	None		
DIP TYPE	None		

SHIPPING AND PACKAGING

UNSPSC CODE	46181504	COUNTRY OF ORIGIN	Pakistan
SHIP PACK QUANTITY	12	SKID QUANTITY	24
WEIGHT (LB)	26.25	CASE DIMENSIONS (IN)	19.5x14x14
UNIT OF MEASURE	Pair		

HAZARD PROTECTIONS

ABRASION	ANSI Level 4	CRUSH	None
ARC FLASH	ANSI CAT 3 36Cal/cm2	CUT	360° Cut, ANSI A4
CHEMICAL	None	HEAT	ANSI Level 3 (200°C or 392°F)
COLD	None	FLAME	Flame
IMPACT	None		
VIBRATION	None		
PUNCTURE (PROBE)	ANSI Level 3		
PUNCTURE (HYPODERMIC NEEDLE)	None		

FEATURES AND TECH

ANTI-MICROBIAL	None	FDA COMPLIANT	None
BIODEGRADABLE	None	HIGH VISIBILITY	None
CFIA COMPLIANT	None	LATEX FREE	None
CLEANROOM FRIENDLY	None	LOW-LINTING	English None


CRUSH RESISTANT FINGERCAPS (FINGERTIPS ONLY)	None	MADE IN AMERICAS	None
DISPOSABLE	None	MADE IN CANADA	None
DOUBLE PALM	None	NON-MARRING	None
ESD/ ANTI-STATIC	None	OIL/WATER REPELLANT (TREATMENT)	None
EXTENDED SIZES	Yes	REINFORCED THUMB CROTCH	None
SILICONE FREE	None		
TOUCHSCREEN FRIENDLY	None		
UKCA / CE CERTIFIED	None		
VEND PACK	None		
WATER RESISTANT (MATERIAL)	None		
WATERPROOF	None		
WELDING	Yes		

## FIT & SIZING

A proper fit is extremely important. An uncomfortable fit causes hand fatigue and ultimately could lead to a potential workplace hazard.

Measure the width of your hand from the base of your first finger and across your knuckles.

SIZE	WIDTH (MM)	WIDTH (IN)
5 / 2XS	50 MM	2 IN
6 / XS	63 MM	2.5 IN
7 / S	75 MM	3 IN
8 / M	88 MM	3.5 IN
9 / L	101 MM	4 IN
10 / XL	113 MM	4.5 IN
11 / 2XL	126 MM	5 IN
12 / 3XL	140 MM	5.5 IN



# Request a Sample of This Product on SuperiorGlove.com

**OR EMAIL US AT  
BUSINESS.DEVELOPMENT@SUPERIORGLOVE.COM**



Copyright © 2021 Superior Glove. All Rights Reserved.

[Privacy Policy](#)[Accessibility](#)[Accessibility Request Form](#)

English